INDEX FOR VOLUME 65

Compiled by Melissa R. Sette, Wisconsin Department of Natural Resources

A

Abies balsamea, see Fir, balsam
Abies concolor, see Fir, white
Abies grandis, see Fir, grand
Abies lasiocarpa, see Fir, subalpine
Acacia berlandieri, see Guajillo
Acacia rigidula, see Acacia, blackbrush
Acacia schaffneri, see Acacia, twisted
Acacia spp., *see* Acacia
Acacia: 101–110, 654–660
Acacia, blackbrush: 646–652
Acacia, twisted: 646–652
Accipiter cooperii, see Hawk, Cooper's
Accipiter gentilis, see Goshawk, northern
Acepromazine: 157
Acer circinatum, see Maple, vine
Acer macrophyllum, see Maple, broadleaf
Acer negundo, see Boxelder
Acer platanoides, see Maple, Norway
Acer rubrum, see Maple, red
Acer saccharum, see Maple, sugar
Acer spp., *see* Maple
Acetaminophen:
  use of acetaminophen for large-scale control of brown treesnakes, 356–365
Acinonyx jubatus, see Cheetah
Acorn: 46–48
Acrididae: 861–870
Activity budget: 313–317
Afton, Alan D., and Michael G. Anderson. Declining scaup populations: a retrospective analysis of long-term population and harvest survey data, 781–796
***Agama hispida*:** 650
Agave: 107
Agave lechuguilla, see Agave
Age ratio: 781–796, 880–886
  effect of adult sex ratio on mule deer and elk productivity in Colorado, 543–551
Agelaius phoeniceus, see Blackbird, red-winged
Agriculture: 7, 93, 107, 149, 173–190, 271, 302–309, 351–355, 398, 407, 451, 467–469, 483, 633–644, 653–660, 669, 756, 861–870, 887–898, 1004–1013
  decline of the red-winged blackbird population in Ohio correlated to changes in agriculture (1965–1996), 661–667
  influence of landscape composition on bird use of rowcrop fields, 442–449
  land cover and bobwhite abundance on Oklahoma farms and ranches, 838–849
Agropyron desertorum, see Grass, crested wheat
Agropyron smithii, see Grass, western wheat
Agropyron spp., *see* Grass, wheat
Agropyron spp., *see* Wheat
AIC, *see* Akaike's Information Criterion
Aimophila aestivalis, see Sparrow, Bachman's
Airplane: 218–225, 250, 476–481, 573–582, 767, 999–1003
Aix sponsa, see Duck, wood
Ajaia ajaja, see Spoonbill, roseate
Akaike's Information Criterion: 258–270, 389–395, 426–430, 489–497, 564–572, 576–582, 668–675, 687–695, 801–807, 931–940
  the fall of the null hypothesis: liabilities and opportunities, 379–384 — Invited Paper
  negative binomial models for abundance estimation of multiple closed populations, 498–509
  suggestions for presenting the results of data analyses, 373–378 — Invited Paper
Alabama: 738–744, 745–754, 816–827
Alaska: 77–92, 248–257, 540, 556, 663, 783–796, 964–972
Albatross: 690, 692
Alberta: 181, 531–542
Alces alces, see Moose
Alder, gray: 880–886
Alder, green: 964–972
Alectoria sarmentosa, see Lichen, witch's hair
Alfalfa: 319, 447–448, 661–667, 766, 864–870, 973–987
Allelic variation: 327–333
Alnus crispa, see Alder, green
Alnus incana, see Alder, gray
Alopex lagopus, see Fox, arctic
Alopex lagopus, see Fox, blue
Aloysia gratissima, see Brush, white
Alpizar-Jara, Russell, Elizabeth N. Brooks, Kenneth H. Pollock, David E. Steffen, James C. Pack, and Gary W. Norman. An eastern wild turkey population dynamics model for Virginia and West Virginia, 415–424
Aluminum: 685–695
Amaranthus spinosus, see Pigweed, spiny
Ambrosia artemisiifolia, see Ragweed, common
Amelanchier alnifolia, see Saskatoon
Amelanchier alnifolia, see Serviceberry
Ammodramus savannarum floridanus, see Sparrow, Florida grasshopper
Ammodramus savannarum, see Sparrow, grasshopper
Anas acuta, see Pintail, northern
Anas americana, see Wigeon, American
Anas clypeata, see Shoveler, northern
Anas crecca, see Teal, green-winged
Anas cyanoptera, see Teal, cinnamon
Anas discors, see Teal, blue-winged
Anas platyrhynchos, see Mallard
Anas strepera, see Gadwall
Anderson, David R., Kenneth P. Burnham, Bruce C. Lubow, Len Thomas, Paul Stephen Corn, Philip A. Medica, and Ronald W. Marlow. Field trials of line

INDEX FOR VOLUME 65

Compiled by Melissa R. Sette, Wisconsin Department of Natural Resources

A

Abies balsamea, see Fir, balsam
Abies concolor, see Fir, white
Abies grandis, see Fir, grand
Abies lasiocarpa, see Fir, subalpine
Acacia berlandieri, see Guajillo
Acacia rigidula, see Acacia, blackbrush
Acacia schaffneri, see Acacia, twisted
Acacia spp., *see* Acacia
Acacia: 101–110, 654–660
Acacia, blackbrush: 646–652
Acacia, twisted: 646–652
Accipiter cooperii, see Hawk, Cooper's
Accipiter gentilis, see Goshawk, northern
Acepromazine: 157
Acer circinatum, see Maple, vine
Acer macrophyllum, see Maple, broadleaf
Acer negundo, see Boxelder
Acer platanoides, see Maple, Norway
Acer rubrum, see Maple, red
Acer saccharum, see Maple, sugar
Acer spp., *see* Maple
Acetaminophen:
  use of acetaminophen for large-scale control of brown treesnakes, 356–365
Acinonyx jubatus, see Cheetah
Acorn: 46–48
Acrididae: 861–870
Activity budget: 313–317
Afton, Alan D., and Michael G. Anderson. Declining scaup populations: a retrospective analysis of long-term population and harvest survey data, 781–796
***Agama hispida*:** 650
Agave: 107
Agave lechuguilla, see Agave
Age ratio: 781–796, 880–886
  effect of adult sex ratio on mule deer and elk productivity in Colorado, 543–551
Agelaius phoeniceus, see Blackbird, red-winged
Agriculture: 7, 93, 107, 149, 173–190, 271, 302–309, 351–355, 398, 407, 451, 467–469, 483, 633–644, 653–660, 669, 756, 861–870, 887–898, 1004–1013
  decline of the red-winged blackbird population in Ohio correlated to changes in agriculture (1965–1996), 661–667
  influence of landscape composition on bird use of rowcrop fields, 442–449
  land cover and bobwhite abundance on Oklahoma farms and ranches, 838–849
Agropyron desertorum, see Grass, crested wheat
Agropyron smithii, see Grass, western wheat
Agropyron spp., *see* Grass, wheat
Agropyron spp., *see* Wheat
AIC, *see* Akaike's Information Criterion
Aimophila aestivalis, see Sparrow, Bachman's
Airplane: 218–225, 250, 476–481, 573–582, 767, 999–1003
Aix sponsa, see Duck, wood
Ajaia ajaja, see Spoonbill, roseate
Akaike's Information Criterion: 258–270, 389–395, 426–430, 489–497, 564–572, 576–582, 668–675, 687–695, 801–807, 931–940
  the fall of the null hypothesis: liabilities and opportunities, 379–384 — Invited Paper
  negative binomial models for abundance estimation of multiple closed populations, 498–509
  suggestions for presenting the results of data analyses, 373–378 — Invited Paper
Alabama: 738–744, 745–754, 816–827
Alaska: 77–92, 248–257, 540, 556, 663, 783–796, 964–972
Albatross: 690, 692
Alberta: 181, 531–542
Alces alces, see Moose
Alder, gray: 880–886
Alder, green: 964–972
Alectoria sarmentosa, see Lichen, witch's hair
Alfalfa: 319, 447–448, 661–667, 766, 864–870, 973–987
Allelic variation: 327–333
Alnus crispa, see Alder, green
Alnus incana, see Alder, gray
Alopex lagopus, see Fox, arctic
Alopex lagopus, see Fox, blue
Aloysia gratissima, see Brush, white
Alpizar-Jara, Russell, Elizabeth N. Brooks, Kenneth H. Pollock, David E. Steffen, James C. Pack, and Gary W. Norman. An eastern wild turkey population dynamics model for Virginia and West Virginia, 415–424
Aluminum: 685–695
Amaranthus spinosus, see Pigweed, spiny
Ambrosia artemisiifolia, see Ragweed, common
Amelanchier alnifolia, see Saskatoon
Amelanchier alnifolia, see Serviceberry
Ammodramus savannarum floridanus, see Sparrow, Florida grasshopper
Ammodramus savannarum, see Sparrow, grasshopper
Anas acuta, see Pintail, northern
Anas americana, see Wigeon, American
Anas clypeata, see Shoveler, northern
Anas crecca, see Teal, green-winged
Anas cyanoptera, see Teal, cinnamon
Anas discors, see Teal, blue-winged
Anas platyrhynchos, see Mallard
Anas strepera, see Gadwall
Anderson, David R., Kenneth P. Burnham, Bruce C. Lubow, Len Thomas, Paul Stephen Corn, Philip A. Medica, and Ronald W. Marlow. Field trials of line

transect methods applied to estimation of desert tortoise abundance, 583–597
———, William A. Link, Douglas H. Johnson, and Kenneth P. Burnham. Suggestions for presenting the results of data analyses, 373–378 — Invited Paper
Anderson, Michael G., Mark S. Lindberg, and Robert B. Emery. Probability of survival and breeding for juvenile female canvasbacks, 385–397
———, *see* Afton, Alan D.
Andropogon gerardii, see Grass, big bluestem
Andropogon spp., *see* Grass, bluestem
Andropogon virginicus, see Grass, broomsedge bluestem
Anesthesia:
anesthesia of pronghorns using thiafentanil or thiafentanil plus xylazine, 25–28
reversible chemical restraint of fishers with medetomidine-ketamine and atipamezole, 157–163
Anser albifrons, see Geese, greater white-fronted
Anser, brachyrhynchus, see Geese, pink-footed
Ant: 196–199
Ant, fire: 450–460, 645
Ant, harvester: 650
Antelope, pronghorn: 173, 511–519, 552
anesthesia of pronghorns using thiafentanil or thiafentanil plus xylazine, 25–28
birth synchrony and survival of pronghorn fawns, 19–24
Antelope, sable: 23
Anticoagulant: 29
Antilocapra americana, see Antelope, pronghorn
Antimony: 685–695
Antler: 51–55, 557
Aonyx cinerea, see Otter, Asian small-clawed
Aphididae: 861–870
Appalachian Mountains: 1–9
Apps, Clayton D., Bruce N. McLellan, Trevor A. Kinley, and John P. Flaa. Scale-dependent habitat selection by mountain caribou, Columbia Mountains, British Columbia, 65–77
Apteryx owenii, see Kiwi, little spotted
Aquila chrysaetos, see Eagle, golden
Araneae: 861–870
Archery: 926–940
Archilochus colubris, see Hummingbird, ruby-throated
Arcostaphylus pungens, see Manzanita
***Arctagrostis latifolia*:** 272–281
Arctic: 964–972
neckband retention for lesser snow geese in the western arctic, 797–807
Arctostaphylos alpinus, see Bearberry, black
Arctostaphylos uva-ursi, see Bearberry
Ardea herodias, see Heron, great blue
Aristida beyrichiana, see Grass, wire
Arizona: 63, 118–124, 136–140, 543–551, 850–860, 871–879, 887–898
Arkansas: 6, 34–40, 327–333, 745–754
Arrowhead, common: 755–764
Arsenic: 685–695
Artemisia arbuscula, see Sagebrush, low
Artemisia filifolia, see Sage, sand
Artemisia spp., *see* Sagebrush
Artemisia tridentata, see Sagebrush, big
Arundo donax, see Reed, giant
Ash, green: 36, 451, 738–744, 899–914
Asia: 798
Aspen: 131–136, 180–181
Aspen, large tooth: 880–886
Aspen, trembling: 532, 880–886, 899–914, 926–940, 953–963
Aster puniceus, see Aster, purple-stemmed
Aster, purple-stemmed: 953–963
Astragalus spp., *see* Vetch, milk
Atchafalaya National Wildlife Refuge: 747
Athene cunicularia hypugaea, see Owl, burrowing
Atipamezole:
reversible chemical restraint of fishers with medetomidine-ketamine and atipamezole, 157–163
Atriplex spp., *see* Saltbush
Atrophine: 157
Australia: 356, 476
Avalanche chute: 92–99
Avena byzantina, see Oats
Avena sativa, see Oats
Avens: 227, 232, 964–972
Aythya affinis, see Scaup, lesser
Aythya americana, see Redhead
Aythya collaris, see Duck, ring-necked
Aythya marila, see Scaup, greater
Aythya valisineria, see Canvasback
Azalea, alpine: 918–925

B

Badger, American: 20, 319–324, 335, 398–405, 765
Baeolophus griseus, see Titmouse, juniper
Bait, toxic:
brushtail possum mortality and ambient temperatures following aerial poisoning using 1080, 476–481
use of acetaminophen for large-scale control of brown treesnakes, 356–365
Band, leg: 242–247, 284–288, 321, 386, 426, 433, 726–737, 755–764, 797–807
Band, neck: 242–247, 250, 284–288, 726–737
neckband retention for lesser snow geese in the western arctic, 797–807
Band, tarsal: 250, 726–737
Baranyuk, Vasily V., *see* Samuel, Michael D.
Barium: 685–695
Barten, Neil L., R. Terry Bowyer, and Kurt J. Jenkins. Habitat use by female caribou: tradeoffs associated with parturition, 77–92
Bartramia longicauda, see Sandpiper, upland
Bassariscus astutus, see Ringtail
Basswood, American: 149
Bat: 697–715
Bat, Indiana: 482
Bat, little brown: 486
Bat, northern:
day-roost characteristics of northern bats in mixed

mesophytic forest, 482–488
Batt, Bruce D. J., *see* Malecki, Richard A.
———, *see* Reynolds, Ronald E.
Bayesian method: 729
suggestions for presenting the results of data analyses, 373–378 — Invited Paper
Baylisascaris procyonis, see Roundworm, ascarid
Bear, black: 48, 79, 521, 953–963, 982
forest management and female black bear denning, 34–40
Bear, grizzly: 79, 86, 521, 617, 1001
habitats selected by grizzly bears in a multiple use landscape, 92–99
negative binomial models for abundance estimation of multiple closed populations, 498–509
Bear, polar: 228
Bearberry: 97
Bearberry, black: 918–925
Beech, American: 2, 149, 153–156, 352, 482–488, 880–886
Beech, yellow: 149
Beet, sugar: 319
Beetle, bark: 93
Beetle, Douglas-fir: 1023
Belthoff, James R., *see* Smith, Brian W.
Berberis nervosa, see Grape, Oregon
Bergin, Timothy M., *see* Best, Louis B.
Berry, lingon: 918–925
Beryllium: 685–695
Best, Louis B, Timothy M. Bergin, and Kathryne E. Freemark. Influence of landscape composition on bird use of rowcrop fields, 442–449
Betula allegheniensis, see Beech, yellow
Betula glandulosa, see Birch, bog
Betula glandulosa, see Birch, shrub
Betula lenta, see Birch, black
Betula nana, see Birch, dwarf
Betula papyrifera, see Birch, white
Betula pubescens, see Birch, valley
BIA, *see* Bioelectrical impedance analysis
Bias: 373–378, 583–597, 781–796, 861–870
measurements of Canada goose morphology—sources of error and effects on classification of subspecies, 716–725
nutritional condition models for elk: which are the most sensitive, accurate, and precise?, 988–997
Bias, sex-specific:
sex-specific bias in helicopter surveys of elk: sightability and dispersion effects, 216–225
Big Cypress National Preserve: 141–147
Bilberry: 918–925
Bioelectrical impedance analysis:
development of predictive models of nutritional condition for Rocky Mountain elk, 973–987
Biomass: 88, 510–519
Birch, black: 149, 482–488
Birch, bog: 953–963
Birch, dwarf: 918–925, 964–972
Birch, shrub: 79
Birch, valley: 916
Birch, white: 291, 411, 880–886, 899–914
Bison: 22, 173, 178–190, 226, 383, 999
effects of winter road grooming on bison in Yellowstone National Park, 560–572
Bison bison, see Bison
Bitterbrush: 926–940
Bittern, American: 676–684
Bjornlie, Daniel D., and Robert A. Garrot. Effects of winter road grooming on bison in Yellowstone National Park, 560–572
Blackberry: 153–156, 301–309
Blackberry, California: 196–199, 1014–1027
Blackberry, trailing: 196–199, 1014–1027
Blackbird, Brewer's: 334–344
Blackbird, red-winged: 334–344, 442–460, 676–684
decline of the red-winged blackbird population in Ohio correlated to changes in agriculture (1965–1996), 661–667
Blackbird, yellow-headed: 334–344
Blackwell, Bradley F., and Richard A. Dolbeer. Decline of the red-winged blackbird population in Ohio correlated to changes in agriculture (1965–1996), 661–667
Blankenship, Daniel S., *see* Miller, Michael R.
Blankenship, Terry L., *see* Dzialak, Matthew R.
Blight, chestnut: 148, 153
Blueberry: 154
Bluebird, eastern: 348
Bluebird, mountain: 334–344
Bobcat: 20, 48, 335, 557, 741, 880–886
Bobolink: 585, 676–684
Bobwhite, masked:
comparative habitat use by three quails in desert grassland, 850–860
multivariate perspectives on patch use by masked bobwhites, 118–124
Bobwhite, northern: 201, 381–389, 407, 411, 618, 1012
differential influence of weather on regional quail abundance in Texas, 10–18
heat loads on reproducing bobwhites in the semiarid subtropics, 111–117
human-imprinted northern bobwhite chicks and indexing arthropod foods in habitat patches, 861–870
land cover and bobwhite abundance on Oklahoma farms and ranches, 838–849
northern bobwhite and scaled quail abundance and hunting regulation: a Texas example, 828–837
reduced predation of artificial nests in border-edge cuts on woodlots, 351–355
Body mass: 1, 54–57, 115, 129–136, 176–199, 386–395, 406–414, 716–725, 741, 861–870, 922, 943–945, 973–997
condition indices of live-trapped American black ducks and mallards, 755–764
effects of hunting and hunting-hour extension on mourning dove foraging and physiology, 808–815
Body reserve index: 973–997

Boiga irregularis, see Snake, brown tree
Bombycilla cedrorum, see Waxwing, cedar
Bonasa umbellus, see Grouse, ruffed
Bond, Bobby T., Bruce D. Leopold, L. Wes Burger, Jr., and K. David Godwin. Movements and home range dynamics of cottontail rabbits in Mississippi, 1004–1013
Booby, brown: 692
Booby, masked: 692
Bootstrapping: 258–270, 287–288, 498–509, 687, 850–860, 880–886
Boron: 685–695
Bos spp., *see* Cattle
Botaurus lentiginosus, see Bittern, American
Bothriochloa spp., *see* Grass, Old World bluestem
Bouteloua curtipendula, see Grama, side-oats
Bouteloua gracilis, see Grama, blue
Boutin, Stan, *see* Dyer, Simon J.
Bowman, Jacob L., *see* White, Thomas H., Jr.
Bowyer, R. Terry, *see* Barten, Neil L.
Boxelder: 36, 335, 738–744
Boyce, Mark S., Darryl I. MacKenzie, Bryan F. J. Manly, Mark A. Haroldson, and David Moody. Negative binomial models for abundance estimation of multiple closed populations, 498–509
Brachiaria ciliatissima, see Grass, fringed signal
Brachiaria platyphylla, see Grass, broadleaf signal
Brachyramphus marmoratus, see Murrelet, marbled
Brant, black: 248–255
Branta bernicla nigricans, see Brant, black
Branta canadensis, see Geese, Canada
Branta canadensis interior, see Geese, interior Canada
Branta canadensis maxima, see Geese, giant Canada
Branta canadensis minima, see Geese, cackling Canada
Branta leucopsis, see Geese, barnacle
Bray, Martin, *see* Gregg, Michael
Breeding Bird Survey: 661–667
Bridges, Andrew S., Markus J. Peterson, Nova J. Silvy, Fred E. Smeins, and X. Ben Wu. Differential influence of weather on regional quail abundance in Texas, 10–18
British Columbia: 65–77, 92–99, 520–530, 696–715, 783–796, 899–914
Brodifacoum:
survival of little spotted kiwi exposed to the rodenticide brodifacoum, 29–34
Bromley, Cassity, and Eric M. Gese. Surgical sterilization as a method of reducing coyote predation on domestic sheep, 510–519
Bromley, Peter T., *see* Palmer, William E.
Bromus tectorum, see Grass, cheat
Brooks, Elizabeth N., *see* Alpizar-Jara, Russell
Brucella abortus, see Brucellosis
Brucellosis: 175–190, 183–190, 205
Brundige, Gary C., *see* Roloff, Gary J.
Brush, black: 236, 575, 656–660
Brush, white: 101–110, 654–660
Bryoria spp., *see* Lichen
Bubo virginianus, see Owl, great horned
Bucephala albeola, see Bufflehead
Bucephala clangula, see Goldeneye, common
Buchloe dactyloides, see Grass, buffalo
Bucholz, Richard, *see* Wallace, Monica T.
Buckwheat: 755–764
Buenos Aires National Wildlife Refuge: 118–124, 850–860
Buffaloberry: 97
Buffer zone: 312–317, 445
Bufflehead: 676–684
Bufo microscaphus californicus, see Toad, arroyo southwestern
Bulrush, hardstem: 41
Bulrush, softstem: 755–764
Bulrush, tuberous: 41
Bunting, indigo: 345–350, 354, 442–460, 668–675
Bunting, lazuli: 334–344
Bunting, painted: 450–460
Burger, Alan E. Using radar to estimate populations and assess habitat associations of marbled murrelets, 696–715
Burger, L. Wes, Jr., *see* Bond, Bobby T.
Burnham, Kenneth P., *see* Anderson, David R.
Burro: 235
Burrow, Anna L., Richard T. Kazmaier, Eric C. Hellgren, and Donald C. Ruthven, III. Microhabitat selection by Texas horned lizards in southern Texas, 645–652
Burrow, artificial:
effects of nest dimensions on use of artificial burrow systems by burrowing owls, 318–326
Burrow: 633–652
Burroweed: 850–860
Buteo jamaicensis, see Hawk, red-tailed
Buteo platypterus, see Hawk, broad-winged
Buteo swainsoni, see Hawk, Swainson's
Butorides striatus, see Heron, green-backed

C

Cabbage, skunk: 196–199
Cactus: 137–140, 850–860
Cactus, prickly-pear: 100–110, 139, 646–652
Cadmium: 685–695
Calamagrostis canadensis, see Grass, bluejoint
Calcium: 131–136, 406, 821–827, 943–945, 973–987
Calidris alpine, see Dunlin
California: 40–58, 153–156, 300–311, 425–431, 489–497, 517, 617, 633–644, 783–796
Callipepla californica, see Quail, California
Callipepla gambelii, see Quail, Gambel's
Callipepla squamata, see Quail, scaled
Callipepla squamata castanogastris, see Quail, chestnut-bellied race
Callipepla squamata pallida, see Quail, Arizona scaled
Calonectris diomedea, see Shearwater, Cory's
Camel: 231
Camelus dromedaries, see Camel
Camera, remote: 564, 672

***Campylobacter* infection:** 728
Canada: 65–77, 92–99, 129–136, 181, 226–234, 242–247, 271–281, 318, 385–397, 406–414, 531–542, 663, 696–715, 783–796, 893–895, 953–963
Canis familiaris, see Dog, domestic
Canis latrans, see Coyote
Canis lupus, see Wolf, gray
Canis lupus arctos, see Wolf, arctic
Canopy cover: 61–65, 68–77, 104–111, 118–124, 138–140, 153–156, 216–225, 442–449, 453–460, 483–497, 521–527, 636–652, 852–860, 899–914, 953–963
induced spatial heterogeneity in forest canopies: responses of small mammals, 1014–1027
Canvasback: 676–684, 760
probability of survival and breeding for juvenile female canvasbacks, 385–397
Canyonlands National Park: 313–317, 573–582
Canyons: 312–317
Capitol Reef National Park: 313–317
Capra spp., *see* Goat
Caracaras, crested: 658
Cardinal, northern: 341, 450–460, 668–675
Cardinalis cardinalis, see Cardinal, northern
Carduelis pinus, see Siskin, pine
Carduelis tristis, see Goldfinch, American
Carex aquatilis, see Sedge, water
Carex bigelowii, see Sedge, Bigelow's
***Carex ramenskii*:** 250–255
Carex rostrata, see Sedge, bottle
Carex spp., *see* Sedge
Carey, Andrew B., and Suzanne M. Wilson. Induced spatial heterogeneity in forest canopies: responses of small mammals, 1014–1027
Carfentanil: 25–26
Caribou: 19, 226–234, 526, 983, 1001
avoidance of cabins, roads, and power lines by reindeer during calving, 915–925
avoidance of industrial development by woodland caribou, 531–542
habitat and diet selection by muskoxen and reindeer in western Alaska, 964–972
habitat use by female caribou: tradeoffs associated with parturition, 77–92
scale-dependent habitat selection by mountain caribou, Columbia Mountains, British Columbia, 65–77
Caribou, barren-ground: 19, 531
Caribou, Peary: 226–234
Carpinus betulus, see Hornbeam
Carpodacus mexicanus, see Finch, house
Carrying capacity: 297–299
carrying capacity of wetland habitats used by breeding greater snow geese, 271–281
Carya aquatica, see Pecan, bitter
Carya illinoinensis, see Pecan, sweet
Carya spp., *see* Hickory
Case, Ted J., *see* Griffin, Paul C.
Cassia nictitans, see Lespedeza
***Cassiope tetragona*:** 227
Castanea dentata, see Chestnut, American
Castleberry, Nikole L., *see* Castleberry, Steven B.
Castleberry, Steven B., W. Mark Ford, Petra Bohall Wood, Nikole L. Castleberry, and Michael T. Mengak. Movements of Allegheny woodrats in relation to timber harvesting, 148–156
Cat, domestic: 182, 335, 480, 895
Cat, feral: 29, 161
Catbird, gray: 334–352, 442–449
Catharacta skua, see Skau, great
Cathartes aura, see Vulture, turkey
Catharus fuscescens, see Veery
Catharus guttatus, see Thrush, hermit
Catharus ustulatus, see Thrush, Swainson's
Cattail: 41, 662–667
Cattail, narrowleaf: 755–764
Cattle: 20, 30, 174–190, 319–320, 445, 480, 653–660, 980
Cavia porcellus, see Guinea pig
Cedar, eastern red: 669, 838–849
Cedar, western red: 65–77, 192–199, 291
Cedar, white: 880–886
Cellulose: 816–827
Celtis laevigata, see Sugarberry
Celtis pallida, see Granjero
Celtis pallida, see Hackberry, spiny
Cementum annuli: 53–54, 973–987
Cenchrus ciliaris, see Grass, buffel
Ceniza: 654–660
Centrocercus urophasianus, see Grouse, sage
Ceothlypis trichas, see Yellowthroat, common
Ceratophyllum demersum, see Coontail
Cercocarpus montanus, see Mahogany, mountain
Cervus elaphus, see Deer, red
Cervus elaphus, see Elk
Cervus elaphus nelsoni, see Elk, Rocky Mountain
Ceryle alcyon, see Kingfisher, belted
Cetaria spp., *see* Lichen
Cetraria nivalis, see Lichen, snow
Chaetura pelagica, see Swift, chimney
Chaetura vauxi, see Swift, Vaux's
Chaparral: 636–644, 654–660
Charadrius vociferus, see Killdeer
Chat, yellow-breasted: 348, 450–460, 668–675
Cheetah: 498
Chen caerulescens, see Geese, snow
Chen caerulescens atlantica, see Geese, greater snow
Chen caerulescens caerulescens, see Geese, lesser snow
Chen canagica, see Geese, emperor
Cherry: 2, 301–309
Cherry, black: 149, 352
Cherry, choke: 335, 926–940
Cherry, pin: 953–963
Chestnut, American: 153–156
Chickadee, black-capped: 334–344
Chilopoda: 861–870
Chipmunk, eastern: 352
Chipmunk, least: 335, 511–519
Chipmunk, Townsend's: 1014–1027

Chlordiazeproxide: 157
Chloris cucullata, see Grass, hooded windmill
Chodeiles minor, see Nighthawk, common
Cholera, avian: 797–807
Cholesterol: 941–945, 973–987
Cholla spp., *see* Cactus
Chordeiles minor, see Nighthawk, common
Christmas Bird Count: 16
Chromium: 685–695
Chrysothamnus nauseosus, see Rabbitbrush
Chufa: 755–764
Cicadellidae: 861–870
Cinquefoil, shrub: 964–972
Circus cyaneus, see Harrier, northern
***Cirsium arvense*:** 196–199
Cistothorus platensis, see Wren, sedge
Cladina spp., *see* Lichen
Cladonia spp., *see* Lichen
Clark, Joseph D., *see* Dees, Cathrine S.
Clark, Larry, *see* Savarie, Peter J.
———, *see* Sayre, Roger W.
Clark, Margaret E., *see* Larson, Micael A.
***Claytonia* spp.:** 196–199
Clearcut: 60, 148–156, 669, 705–715, 953–963, 1015
productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
Clethrionomys gapperi, see Vole, red-backed
Clover: 97, 196–199, 766
Cobalt: 685–695
Coccyzus americanus, see Cuckoo, yellow-billed
Colaptes auratus, see Flicker, northern
Colbourne, Rogan M., *see* Robertson, Hugh A.
Coleogyne ramosissima, see Brush, black
Coleoptera: 861–870
Colhoun, Kendrew, *see* Frederiksen, Morten
Colinus virginianus, see Bobwhite, northern
Colinus virginianus ridgwayi, see Bobwhite, masked
Colorado: 22, 56, 125, 174–190, 205–215, 334–344, 461–469, 543–551, 745–754, 762, 783–796, 926–940, 946–952
Colubrina texana, see Hogplum
Columba fasciata, see Pigeon, band-tailed
Columba palumbas, see Pigeon
Community composition:
avian nest success and community composition in a western riparian forest, 334–344
Competition, interspecific: 755–764
habitat and diet selection by muskoxen and reindeer in western Alaska, 964–972
population characteristics of sympatric mule and white-tailed deer on Rocky Mountain Arsenal, Colorado, 946–952
Competition, intrasexual:
age-specific causes of mortality among male white-tailed deer support mate-competition theory, 552–559
Competition, intraspecific: 324
Connecticut: 244–247
Conner, L. Mike. Survival and cause-specific mortality of adult fox squirrels in southwestern Georgia, 200–204
Conner, Mary M., Gary C. White, and David J. Freddy. Elk movement in response to early-season hunting in northwest Colorado, 926–940
Connochaetes taurinus, see Wildebeest
***Conolophus pallidus*:** 651
Conservation Reserve Program: 399–405, 442–449, 662, 666, 676–684, 838–849, 1004–1013
impact of the Conservation Reserve Program on duck recruitment in the U.S. Prairie Pothole Region, 765–780
Contamination, environmental: 214
effects of a chemical weapons incineration plant on red-tailed tropicbirds, 685–695
Contopus borealis, see Flycatcher, olive-sided
Contopus sordidulus, see Pee-wee, western wood
Contopus virens, see Peewee, eastern wood
Contraceptives: 511
immunocontraception in feral horses: one inoculation provides one year of infertility, 235–241
porcine zona pellucida immunocontraception: long-term health effects on white-tailed deer, 941–945
Cooch, Evan G., *see* Samuel, Michael D.
Cook, John G., *see* Cook, Rachel C.
Cook, Rachel C., John G. Cook, Dennis L. Murray, Peter Zager, Bruce K. Johnson, and Michael W. Gratson. Development of predictive models of nutritional condition for Rocky Mountain elk, 973–987
———, ———, ———, ———, ———, and ———. Nutritional condition models for elk: which are the most sensitive, accurate, and precise?, 988–997
Cook, Walter E., *see* Kreeger, Terry J.
Coontail: 738–744
Coot, American: 676–684
Copper: 685–695, 821–827
Cormorant, Brandt's: 692
Corn, Paul Stephen, *see* Anderson, David R.
Corn: 442–449, 661–667, 816–827, 846, 861–870, 1004–1013
Cornus sericea, see Dogwood, red osier
Corridor: 146, 540
Corticosterone: 808–815
Cortisol: 226–234, 973–987
Corvus brachyrhynchos, see Crow, American
Corvus caurinus, see Crow, northwestern
Corvus corax, see Raven, common
Corvus kubaryi, see Crow, Marianas
Cottontail, Nuttall's: 63
Cottonwood, black: 217–225, 291
Cottonwood, narrowleaf: 335
Cottonwood, *see also* Poplar, balsam
Cottonwood: 36, 450–460
Cougar: 141, 521, 557
Cover: 8, 111–117, 120–124, 136–140, 146, 442–449, 453–460, 482–488, 861–870, 902–914, 953–963, 1004–1013

Cowbird, brown-headed: 334–344, 442–460, 668–684
Cox, Robert R., Jr., *see* Davis, J. Brian
Coyote: 48, 79, 335, 352, 398–405, 480, 557, 765–780, 880–886, 953–963, 1001
birth synchrony and survival of pronghorn fawns, 19–24
home range, habitat use, and nocturnal activity of coyotes in an urban environment, 887–898
surgical sterilization as a method of reducing coyote predation on domestic sheep, 510–519
Cranberry: 83, 97, 918–925, 953–963
Cranberry, low-bush: 83, 97, 918–925, 953–963
Crane, Ken, *see* Miller, Lowell A.
Crane, sandhill: 334–344
Crane, whooping: 752
Creatinine: 226–234, 973–987
Crepis spp., *see* Hawksbeard
Créte, Michel, *see* Ouellet, Jean-Pierre
Crop: 808–815, 861–870
Crop milk: 825
Crotalus viridis, see Rattlesnake, western
Crow, American: 334–344, 352, 399
Crow, Marianas: 357
Crow, northwestern: 696–715
Crowberry, mountain: 918–925, 964–972
CRP, *see* Conservation Reserve Program
Crustacea: 861–870
Cryphonectria parasitica, see Blight, chestnut
Crypsis schoenoides, see Timothy, swamp
Ctenium aromaticum, see Grass, toothache
Cuckoo, yellow-billed: 450–460
Culling: 205–215
Culmen: 716–725, 755–764
Currant, wild red: 953–963
Custer State Park: 903–914
Cyanocitta cristata, see Jay, blue
Cygnus columbianus, see Swan, tundra
Cygnus cygnus, see Swan, whooper
Cynodon dactylon, see Grass, Bermuda
Cynomys ludovicianus, see Prairie dog, black-tailed
Cynomys spp., *see* Prairie dog
Cyperus esculentus, see Chufa
Cypress: 142
Cypress, bald: 36, 738–744
Cyrtonyx montezumae, see Quail, Montezuma
Cyryle alcyon, see Kingfisher, belted

D

D'Arbonne National Wildlife Refuge: 328–333
Dactylis glomerata, see Grass, orchard
Daisy, cowpen: 647–652
Dama dama, see Deer, fallow
Dandelion, false: 195–199
Data analysis:
the fall of the null hypothesis: liabilities and opportunities, 379–384 — Invited Paper
a proposed research emphasis to overcome the limits of wildlife–habitat relationship studies, 613–623 — Invited Paper
suggestions for presenting the results of data analyses, 373–378 — Invited Paper
Dau, Christian P., *see* Schmutz, Joel A.
Davidson, Ann S., and Richard L. Knight. Avian nest success and community composition in a western riparian forest, 334–344
Davis, J. Brian, Richard M. Kaminski, Bruce D. Leopold, and Robert R. Cox, Jr. Survival of female wood ducks during brood rearing in Alabama and Mississippi, 738–744
Daw, Sonya K., and Stephen DeStefano. Forest characteristics of northern goshawk nest stands and post-fledging areas in Oregon, 59–65
Deer, black-tailed: 193–199, 527, 556–557
male harvest in relation to female removals in a black-tailed deer population, 46–58
Deer, fallow: 552
Deer, mule: 20, 56, 78, 184, 511–519, 552, 585, 999
chronic wasting disease in mule deer: disease dynamics and control, 205–215
effect of adult sex ratio on mule deer and elk productivity in Colorado, 543–551
population characteristics of sympatric mule and white-tailed deer on Rocky Mountain Arsenal, Colorado, 946–952
Deer, red: 176–177, 526, 550, 552, 983
Deer, white-tailed: 22, 30, 47, 56, 141–156, 176, 181, 226, 228, 235, 516, 543, 585
age-specific causes of mortality among male white-tailed deer support mate-competition theory, 552–559
emergency feeding of white-tailed deer: test of three feeds, 129–136
manipulative, multi-standard test of a white-tailed deer habitat suitability model, 953–963
population characteristics of sympatric mule and white-tailed deer on Rocky Mountain Arsenal, Colorado, 946–952
porcine zona pellucida immunocontraception: long-term health effects on white-tailed deer, 941–945
winter hunting patterns of wolves in and near Glacier National Park, Montana, 520–530
Dees, Cathrine S., Joseph D. Clark, and Frank T. Van Manen. Florida panther habitat use in response to prescribed fire, 141–147
Degraaf, Richard M., *see* King, David I.
Delaware: 244–247, 745–754
DeMaso, Stephen J., *see* Guthery, Fred S.
Denali National Park: 1002
Dendrocia coronata, see Warbler, yellow-rumped
Dendrocia petachia, see Warbler, yellow
Dendrocopos major, see Woodpecker, great spotted
Dendrocopos medius, see Woodpecker, middle spotted
Dendroctonus obsesus, see Beetle, bark
Dendroctonus ponderosae, see Beetle, bark
Dendroctonus pseudotsugae, see Beetle, Douglas-fir
Dendroica caerulescens, see Warbler, black-throated blue
Dendroica discolor, see Warbler, prairie
Dendroica magnolia, see Warbler, magnolia

Dendroica pensylvanica, see Warbler, chestnut-sided
Denmark: 283
Dense nesting cover: 398
Density dependence: 46–48, 279, 776
Dental cementum: 49, 53–54, 553, 973–987
***Desmognathus conanti*:**
sampling plethodontid salamanders: sources of variability, 624–632
***Desmognathus fuscus*:**
sampling plethodontid salamanders: sources of variability, 624–632
***Desmognathus imitator*:**
sampling plethodontid salamanders: sources of variability, 624–632
***Desmognathus monticola*:**
sampling plethodontid salamanders: sources of variability, 624–632
***Desmognathus ocoee*:**
sampling plethodontid salamanders: sources of variability, 624–632
***Desmognathus quadramaculatus*:**
sampling plethodontid salamanders: sources of variability, 624–632
***Desmognathus santeetlah*:**
sampling plethodontid salamanders: sources of variability, 624–632
***Desmognathus wrighti*:**
sampling plethodontid salamanders: sources of variability, 624–632
DeStefano, Stephen, *see* Daw, Sonya K.
DeStephano, Stephen, *see* Guthery, Fred S.
Devil's club: 196–199
DeVos, James C., Jr., *see* Ticer, Cindy L.
Dickcissel: 442–449
Dicrostonyx torquatus, see Lemming
Didelphis virginiana, see Opossum
Diet: 77–92, 173–199, 271–281, 406–414, 619
effects of hunting and hunting-hour extension on mourning dove foraging and physiology, 808–815
habitat and diet selection by muskoxen and reindeer in western Alaska, 964–972
human-imprinted northern bobwhite chicks and indexing arthropod foods in habitat patches, 861–870
patterns of food preferences in mourning doves, 816–827
Digestion:
nutritional consequences of gastrolith ingestion in blue-winged teal: a test of the hard-seed-for-grit hypothesis, 406–414
Dimorphism, sexual: 222–225
Diomedea spp., *see* Albatross
Diospyros texana, see Persimmon, Texas
Diospyros virginiana, see Persimmon
Diptera: 861–870
Disease: 125, 182–190, 200–215, 476, 728, 797–807, 885, 887–898
Disease, Johne's: 125
Ditchkoff, Stephen S., Edgar R. Welch, Jr., Robert L. Lochmiller, Ronald E. Masters, and William R. Starry. Age-specific causes of mortality among male white-tailed deer support mate-competition theory, 552–559
DNA microsatellites: 498–509, 871–879
DNA, mitochondrial: 498–509, 871–879
population genetics of southeastern wood ducks, 745–754
DNC, *see* Dense nesting cover
Dog, African wild: 498, 526
Dog, domestic: 161, 182, 335
Dogwood, red osier: 335
Doherty, Paul F., Jr., *see* Schreiber, E. A.
Dolbeer, Richard A., *see* Blackwell, Bradley F.
Dolichonyx oryzivorus, see Bobolink
Dove, mourning: 334–344, 442–449
effects of hunting and hunting-hour extension on mourning dove foraging and physiology, 808–815
mourning dove productivity in California during 1992–95: was it sufficient to balance mortality?, 300–311
patterns of food preferences in mourning doves, 816–827
Dove, white-winged: 825
Drift fence: 633–652
Drought: 10–18, 99–110
Dryas intergrifolia, see Avens
Dryocopus pileatus, see Woodpecker, pileated
Dubovsky, James A., *see* Royle, J. Andrew
Duck, American black:
condition indices of live-trapped American black ducks and mallards, 755–764
Duck, dabbling: 676–684
Duck, diving: 40–46, 676–684
Duck, ring-necked: 676–684
Duck, ruddy: 676–684
Duck, wood: 385, 622, 676–684, 884
population genetics of southeastern wood ducks, 745–754
survival of female wood ducks during brood rearing in Alabama and Mississippi, 738–744
Duckweed: 738–744
Dumetella carolinensis, see Catbird, gray
Dunbar, Michael R., *see* Gregg, Michael
Dunlin: 283, 751
Dunwiddie, Peter W., and Robert C. Kuntz, II. Long-term trends of bald eagles in winter on the Skagit River, Washington, 290–299
***Dupontia fisheri*:** 227, 272–281
Dyer, Simon J., Jack P. O'Neill, Shawn M. Wasel, and Stan Boutin. Avoidance of industrial development by woodland caribou, 531–542
Dysoxylum spectabile, see Kohekohe
Dzialak, Matthew R., Thomas L. Serfass, and Terry L. Blankenship. Reversible chemical restraint of fishers with medetomidine-ketamine and atipamezole, 157–163

E

Eagle, bald: 79, 315, 696–715, 1001

long-term trends of bald eagles in winter on the Skagit River, Washington, 290–299
Eagle, golden: 20–24, 79, 1001
Echinochloa crusgalli, see Grass, barnyard
Echinochloa crus-galli, see Millet
Echinochloa frumentacea, see Millet, Japanese
Echinochloa walteri, see Millet, Walter's
Ecology:
a proposed research emphasis to overcome the limits of wildlife–habitat relationship studies, 613–623 — Invited Paper
Ectopistes migratorius, see Pigeon, passenger
Edge: 334–355, 442–449, 450–460, 662–667, 838–849
edge effects and ecological traps: effects on shrubland birds in Missouri, 668–675
reduced predation of artificial nests in border-edge cuts on woodlots, 351–355
Effect size: 373–389
Eichornia crassipes, see Hyacinth, water
El Niño: 642, 686, 692
Elaphe obsoleta, see Snake, black rat
Elderberry, red: 196–199
Eleocharis parvula, see Spikerush, dwarf
Elephant, African: 235
Elk: 25, 226, 511–519, 538–540
sex-specific bias in helicopter surveys of elk: sightability and dispersion effects, 216–225
winter feeding of elk in western North America, 173–190 — Invited Paper
winter hunting patterns of wolves in and near Glacier National Park, Montana, 520–530
winter severity and wolf predation on a formerly wolf-free elk herd, 998–1003
Elk, Rocky Mountain: 205, 998–1003
development of predictive models of nutritional condition for Rocky Mountain elk, 973–987
effect of adult sex ratio on mule deer and elk productivity in Colorado, 543–551
elk movement in response to early-season hunting in northwest Colorado, 926–940
nutritional condition models for elk: which are the most sensitive, accurate, and precise?, 988–997
sex-specific bias in helicopter surveys of elk: sightability and dispersion effects, 216–225
winter feeding of elk in western North America, 173–190 — Invited Paper
validation tests of a spatially explicit habitat effectiveness model for Rocky Mountain elk, 899–914
Ellenberger, John H., *see* White, Gary C.
Elm, American: 36, 451
Elymus elymoides, see Squirreltail
Emery, Robert B., *see* Anderson, Michael G.
Empetrum nigrum hermaphroditum, see Crowberry, mountain
Empidonax alnorum, see Flycatcher, alder
Empidonax difficilis, see Flycatcher, cordilleran
Empidonax traillii, see Flycatcher, willow
Empidonax traillii extimus, see Flycatcher, southwestern willow
Empidonax virescens, see Flycatcher, Acadian
Encephalopathy, transmissible spongiform: 205–215
Endangered Species Act: 583
Energy, true metabolizable: 406–414
England: 895
Environmental Protection Agency: 690
EPA, *see* Environmental Protection Agency
Epilobium angustifolium, see Fireweed
Equisetum arvense, see Horsetail
Equus asinus, see Burro
Equus caballus, see Horse, feral
Eragrostis curvula, see Grass, weeping love
Eragrostis lehmanniana, see Grass, Lehmann love
***Eremias lineo-ocellata*:** 650
Eremophila alpestris, see Lark, horned
Eriocaulon decangulare, see Hat pin
Eriophorum angustifolium, see Grass, tall cotton
***Eriophorum scheuchzeri*:** 227, 272–281
Eriophorum vaginatum, see Grass, cotton
Ermine: 158, 335, 1014–1027
Error, Type I: 373–378, 416, 471, 679
Error, Type II: 373–378, 416, 1017
Etorphine: 25
Eucalyptus spp., *see* Eucalyptus
Eucalyptus: 301–309
Eucyclogobius newberryi, see Goby, tidewater
Eudyptes schlegeli, see Penguin, royal
Euphagus cyanocephalus, see Blackbird, Brewer's
Europe: 432–441
***Eurycea wilderae*:**
sampling plethodontid salamanders: sources of variability, 624–632
Evolvulus alsinoides, see Evolvulus, slender
Evolvulus, slender: 647–652

F

Fagopyrum esculentum, see Buckwheat
Fagus grandifolia, see Beech, American
Falco columbarius, see Merlin
Falco peregrinus, see Falcon, peregrine
Falco sparverius, see Kestrel, American
Falcon, peregrine: 316
Falsebox: 67
Fat Index: 973–997
Fat, kidney: 973–997
Fecal analysis: 81–92, 131–136, 193–199, 237–240, 964–972
Federal Agriculture Improvement and Reform Act: 778
Feeding, supplemental:
emergency feeding of white-tailed deer: test of three feeds, 129–136
impacts of supplemental feeding on the nutritional ecology of black bears, 191–199
winter feeding of elk in western North America, 173–190 — Invited Paper
Feldheim, Cliff L., *see* Thomas, Carmen M.
Felis catus, see Cat, domestic
Felis concolor, see Lion, mountain
Felis rufus, see Bobcat

Felis silvestris, see Cat, feral
Felsenthal National Wildlife Refuge: 328–333
FEMAT, *see* Forest Ecosystem Management Assessment Team
Fern, bracken: 291, 1014–1027
Fern, sword: 291, 1014–1027
Ferret, black-footed: 158–161
Ferret, domestic: 25, 158–161
Fescue: 918–925
Festuca spp., *see* Fescue
Fetterbush: 471
Finch, house: 334–344
Fink, Alix D., *see* Woodward, April A.
Fir, balsam: 880–886
Fir, Douglas: 60, 70–77, 153–156, 191–199, 217–225, 291, 313–317, 335, 489–497, 521–527, 630, 1014–1027
Fir, grand: 60, 217–225, 291
Fir, subalpine: 65–77, 93, 521, 926–940
Fir, white: 313–317, 490–497
Fire: 97–98, 186, 302, 319, 430, 527, 538, 633, 645–652, 659, 666, 669, 674, 858, 900
  Florida panther habitat use in response to prescribed fire, 141–147
  response of breeding Florida grasshopper and Bachman's sparrows to winter prescribed burning, 470–475
Fireweed: 953–963
Fisher:
  reversible chemical restraint of fishers with medetomidine-ketamine and atipamezole, 157–163
Fivefinger: 30
Flaa, John P., *see* Apps, Clayton D.
Flanagan, Douglas R., *see* Turner, John W., Jr.
Flax: 30
Fleming, Kathleen K., and William M. Giuliano. Reduced predation of artificial nests in border-edge cuts on woodlots, 351–355
Flicker, northern: 334–344, 348
Flooding: 34–40
Florida: 141–147, 330, 470–475, 745–754, 783–796
Florida Panther National Wildlife Refuge: 141–147
Flush response:
  flush responses of Mexican spotted owls to recreationists, 312–317
Flycatcher, Acadian: 450–460
Flycatcher, alder: 345–350
Flycatcher, cordilleran: 334–344
Flycatcher, olive-sided: 348
Flycatcher, southwestern willow: 633
Flycatcher, willow: 334–344, 617–623
Flyway, Atlantic: 783–796
  spatial and temporal distribution of Atlantic population Canada geese, 242–247
Flyway, Central: 733, 783–796
Flyway, Mississippi: 733, 746, 782–796, 802–807
Flyway, Pacific: 733, 783–796, 797–807
Food avoidance:
  effect of primary and secondary repellents on European starlings: an initial assessment, 461–469
Food Security Act: 766
Foraging: 619, 899–914, 953–963, 1004–1013
  effects of hunting and hunting-hour extension on mourning dove foraging and physiology, 808–815
  habitat and diet selection by muskoxen and reindeer in western Alaska, 964–972
  human-imprinted northern bobwhite chicks and indexing arthropod foods in habitat patches, 861–870
  patterns of food preferences in mourning doves, 816–827
Ford, W. Mark, *see* Castleberry, Steven B.
Forest:
  avian nest success and community composition in a western riparian forest, 334–344
  day-roost characteristics of northern bats in mixed mesophytic forest, 482–488
  forest characteristics of northern goshawk nest stands and post-fledging areas in Oregon, 59–65
  induced spatial heterogeneity in forest canopies: responses of small mammals, 1014–1027
  productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
Forest Ecosystem Management Assessment Team: 489, 496
Forest Management: 93, 130, 191–199, 430, 438, 487, 617, 669, 936–940, 1014–1027
  avoidance of industrial development by woodland caribou, 531–542
  forest management and female black bear denning, 34–40
  movements of Allegheny woodrats in relation to timber harvesting, 148–156
  nest survival of forest birds in the Mississippi Alluvial Valley, 450–460
  productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
  reduced predation of artificial nests in border-edge cuts on woodlots, 351–355
Forest Practices Code Act: 92–93
Forest, old-growth: 66–77, 327–333, 425–431, 482–497, 696–715, 1014–1027
  forest characteristics of northern goshawk nest stands and post-fledging areas in Oregon, 59–65
Formicidae, *see* Ants
Fostering, reciprocal:
  translocation of red-cockaded woodpeckers by reciprocal fostering of nestlings, 327–333
Fox, Anthony D., *see* Frederiksen, Morten
Fox, arctic: 161, 228, 249–255
Fox, blue, *see* Fox, arctic
Fox, gray: 893
Fox, red: 335, 352, 398–405, 479, 765–780, 893–895
Fragmentation: 148, 186, 334–344, 470–475, 483, 634, 668–675, 828, 838–849
  influence of landscape composition on bird use of rowcrop fields, 442–449

nest survival of forest birds in the Mississippi Alluvial Valley, 450–460
productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
reduced predation of artificial nests in border-edge cuts on woodlots, 351–355
scale-dependent habitat selection by mountain caribou, Columbia Mountains, British Columbia, 65–77
France: 438
Fraxinus pennsylvanica, see Ash, green
Freddy, David J., *see* White, Gary C.
———, *see* Conner, Mary M.
Frederiksen, Morten, Anthony D. Fox, Jesper Madsen, and Kendrew Colhoun. Estimating the total number of birds using a staging site, 282–289
Freemark, Kathryne E., *see* Best, Louis B.
Fulica americana, see Coot, American

G

Gabor, Timothy M., Eric C. Hellgren, and Nova J. Silvy. Multi-scale habitat partitioning in sympatric suiforms, 99–110
Gaddis, Stan, *see* Miller, Lowell A.
Gadwall: 399–405, 676–684, 825
impact of the Conservation Reserve Program on duck recruitment in the U.S. Prairie Pothole Region, 765–780
Galapagos: 692
Gall, Sally A., *see* Guthery, Fred S.
Gallberry: 471
Galleta: 236
Gallinago gallinago, see Snipe, common
Gannet, northern: 692
Garrettson, Pamela R., and Frank C. Rohwer. Effects of mammalian predator removal on production of upland-nesting ducks in North Dakota, 398–405
Garrot, Robert A., *see* Bjornlie, Daniel D.
Garrya flavescens, see Silktassel
Garton, Edward O., *see* Ratti, John T.
Gaultheria shallon, see Salal
Gauthier, Gilles, *see* Massé, Hélène
Gavia immer, see Loon, common
Gavia stellata, see Loon, red-throated
Gazelle: 526
Gazelli thomsoni, see Gazelle
Geese, barnacle: 254
Geese, Canada: 406–414, 676–684, 687
measurements of Canada goose morphology—sources of error and effects on classification of subspecies, 716–725
neckband retention for lesser snow geese in the western arctic, 797–807
spatial and temporal distribution of Atlantic population Canada geese, 242–247
Geese, cackling Canada: 248–255
Geese, emperor:
effects of gull predation and weather on survival of emperor goose goslings, 248–257
estimation of brood and nest survival: comparative methods in the presence of heterogeneity, 258–270
Geese, giant Canada: 242–247
measurements of Canada goose morphology—sources of error and effects on classification of subspecies, 716–725
Geese, greater snow: 802
capacity of wetland habitats used by breeding greater snow geese, 271–281
Geese, greater white-fronted: 248–255, 802–807
Geese, interior Canada:
measurements of Canada goose morphology—sources of error and effects on classification of subspecies, 716–725
Geese, lesser snow: 271–281
neckband retention for lesser snow geese in the western arctic, 797–807
Geese, pink-footed:
estimating the total number of birds using a staging site, 282–289
Geese, snow: 41, 228, 253–255
Genetics: 149, 327–333, 871–879
population genetics of southeastern wood ducks, 745–754
Geographic Information System: 67–92, 94–99, 138–140, 143–147, 150–154, 336–344, 444–449, 521–527, 531–542, 562–572, 576–582, 636–644, 655–660, 662–667, 698–715, 767–780, 838–849, 887–898, 899–914, 926–940, 953–963
Georgia: 200–204, 745–754
Germany: 283, 438
Gese, Eric M., *see* Bromley, Cassity
Gestation, *see* Reproduction
Gill, R. Bruce, *see* White, Gary C.
GIS, *see* Geographic Information System
Gitzen, Robert A., *see* Roloff, Gary J.
Giudice, John H., *see* Ratti, John T.
Giuliano, William M., *see* Fleming, Kathleen K.
Gizzard: 861–870
nutritional consequences of gastrolith ingestion in blue-winged teal: a test of the hard-seed-for-grit hypothesis, 406–414
Glacier National Park: 520–530
Glaucomys sabrinus, see Squirrel, northern flying
Gleditsia triacanthos, see Locust, honey
Global Positioning System: 30–33, 67–92, 218–225, 531–542, 596, 636–644, 669–671, 929–940, 953–963
Glycine max, see Soybean
Gnatcatcher, blue-gray: 450–460
Goat: 30, 231
Goat, mountain: 999
a conceptual interference model for introduced mountain goats, 125–128
Goby, tidewater: 633
Godwin, K. David, *see* Bond, Bobby T.
Goldberg, Diana R., *see* Samuel, Michael D.
Goldeneye, common: 676-684
Goldfinch, American: 334–350, 442–449

Golner, Daniel P., *see* Ratti, John T.
Gopherus agassizii, see Tortoise, desert
Gopherus berlandieri, see Tortoise, Texas
Gopherus flavomarginatus, see Tortoise, Bolson
Gopherus polyphemus, see Tortoise, gopher
Goshawk, northern: 526, 880–886
forest characteristics of northern goshawk nest stands and post-fledging areas in Oregon, 59–65
GPS, *see* Global Positioning System
Grackle, common: 334–344, 442–460
Grama, blue: 900
Grama, side-oats: 900
Granjero, *see* Hackberry, spiny
Grape: 154
Grape, Oregon: 291
Grass, barnyard: 41, 43, 816–827
Grass, Bermuda: 43, 835, 838–849
Grass, big bluestem: 838–849, 900
Grass, blue: 20
Grass, bluebunch wheat: 20
Grass, bluejoint: 953–963
Grass, bluestem: 471, 838–849
Grass, broadleaf signal: 816–827
Grass, broomsedge bluestem: 553
Grass, buffalo: 900
Grass, buffel: 647–652
Grass, cheat: 319, 946–952
Grass, cotton: 79, 918–925, 964–972
Grass, crested wheat: 511
Grass, desert needle: 236
Grass, fringed signal: 647–652
Grass, hooded windmill: 647–652
Grass, Indian rice: 236, 511
Grass, Johnson: 850–860
Grass, Lehmann love: 647–652, 850–860
Grass, little bluestem: 553, 900
Grass, needle: 20
Grass, needle-and-thread: 511
Grass, Old World bluestem: 838–849
Grass, orchard: 131–136
Grass, rice cut: 755–764
Grass, Sudan: 864–870
Grass, switch: 816–827
Grass, tall cotton: 272–281, 918–925
Grass, tobosa: 653–660
Grass, toothache: 471
Grass, weeping love: 838–849
Grass, western wheat: 511, 900
Grass, wheat: 766, 946–952
Grass, wire: 471
Grass, yellow bristle: 816–827
Grass, yellow-eyed: 471
Grassland: 10–18, 398–405, 442–449, 662, 666, 676–684, 765–780, 838–849, 998–1003
comparative habitat use by three quails in desert grassland, 850–860
Gratson, Michael W., *see* Cook, Rachel C.
Grayia spinosa, see Sage, hop
Grazing: 20, 122, 186, 272–281, 319, 398, 653–660, 666, 669, 766, 836, 858
Great Smoky Mountains National Park: 624–632
Greater Yellowstone Ecosystem: 181–190
Greater Yellowstone Interagency Brucellosis Committee: 184–190
Grebe, pied-billed: 676–684
Green, M. Clay, *see* Guthery, Fred S.
Greenberg, David L., *see* Mock, Karen E.
Greenbrier: 149–156
Gregg, Michael A., Martin Bray, Kevin M. Kilbride, and Michael R. Dunbar. Birth synchrony and survival of pronghorn fawns, 19–24
Griffin, Curtice R., *see* King, David I.
Griffin, Paul C., and Ted J. Case. Terrestrial habitat preferences of adult arroyo southwestern toads, 633–644
Grinder, Martha I., and Paul R. Krausman. Home range, habitat use, and nocturnal activity of coyotes in an urban environment, 887–898
Grit: 41
nutritional consequences of gastrolith ingestion in blue-winged teal: a test of the hard-seed-for-grit hypothesis, 406–414
Grosbeak, black-headed: 334–344
Grosbeak, rose-breasted: 345–350
Gross, John E., and Michael W. Miller. Chronic wasting disease in mule deer: disease dynamics and control, 205–215
Grouse, ruffed: 847
survival of ruffed grouse chicks in northern Michigan, 880–886
Grouse, sage: 20
Grus americana, see Crane, whooping
Grus canadensis, see Crane, sandhill
Gryllidae: 861–870
Guajillo: 656–660
Guam: 356–365
Guinea pig: 476
Gular flutter: 115
Gull: 248–255
Gull, glaucous:
effects of gull predation and weather on survival of emperor goose goslings, 248–257
Gull, mew: 696–715
Gulo gulo, see Wolverine
Gum, black: 484–488
Gum, sweet: 36, 451, 738–744
Guthery, Fred S., Charles L. Land, and Brent W. Hall. Heat loads on reproducing bobwhites in the semiarid subtropics, 111–117
———, Jeffery J. Lusk, and Markus J. Peterson. The fall of the null hypothesis: liabilities and opportunities, 379–384 — Invited Paper
———, M. Clay Green, Ronald E. Masters, Stephen J. Demaso, Heather M. Wilson, and Frederick B. Steubing. Land cover and bobwhite abundance on Oklahoma farms and ranches, 838–849
———, Nina M. King, William P. Kuvlesky, Stephen DeStephano, Sally A. Gall, and Nova J. Silvy. Com-

parative habitat use by three quails in desert grassland, 850–860
———, ———, Kenneth R. Nolte, William P. Kuvlesky, Jr., Stephen DeStephano, Sally A. Gall, and Nova J. Silvy. Multivariate perspectives on patch use by masked bobwhites, 118–124
Gutiérrez, R. J., *see* Seamans, Mark E.
Gutierrezia sarothrae, see Snakeweed
GYIBC, *see* Greater Yellowstone Interagency Brucellosis Committee
***Gyrinophilus porphyriticus*:**
sampling plethodontid salamanders: sources of variability, 624–632

H

Habitat partitioning:
multi-scale habitat partitioning in sympatric suiforms, 99–110
Habitat selection:
capacity of wetland habitats used by breeding greater snow geese, 271–281
characteristics of fringed myotis day roosts in northern California, 489–497
comparative habitat use by three quails in desert grassland, 850–860
comparison of avian communities on restored and natural wetlands in North and South Dakota, 676–684
day-roost characteristics of northern bats in mixed mesophytic forest, 482–488
diurnal bed-site selection of urban-dwelling javelina in Prescott, Arizona, 136–140
edge effects and ecological traps: effects on shrubland birds in Missouri, 668–675
Florida panther habitat use in response to prescribed fire, 141–147
habitat and diet selection by muskoxen and reindeer in western Alaska, 964–972
habitat selection by the Texas tortoise in a managed thornscrub ecosystem, 653–660
habitat use by female caribou: tradeoffs associated with parturition, 77–92
habitats selected by grizzly bears in a multiple use landscape, 92–99
human-imprinted northern bobwhite chicks and indexing arthropod foods in habitat patches, 861–870
influence of landscape composition on bird use of rowcrop fields, 442–449
manipulative, multi-standard test of a white-tailed deer habitat suitability model, 953–963
microhabitat selection by Texas horned lizards in southern Texas, 645–652
movements of Allegheny woodrats in relation to timber harvesting, 148–156
multivariate perspectives on patch use by masked bobwhites, 118–124
a proposed research emphasis to overcome the limits of wildlife–habitat relationship studies, 613–623 — Invited Paper
sampling plethodontid salamanders: sources of variability, 624–632
scale-dependent habitat selection by mountain caribou, Columbia Mountains, British Columbia, 65–77
spacing behavior of the middle spotted woodpecker in central Europe, 432–441
terrestrial habitat preferences of adult arroyo southwestern toads, 633–644
using radar to estimate populations and assess habitat associations of marbled murrelets, 696–715
Habitat suitability index:
manipulative, multi-standard test of a white-tailed deer habitat suitability model, 953–963
Habitat, micro: 633–644
microhabitat selection by Texas horned lizards in southern Texas, 645–652
sampling plethodontid salamanders: sources of variability, 624–632
Hackberry, spiny: 101–110, 646–652
Haliaeetus leucocephalus, see Eagle, bald
Hall, Brent W., *see* Guthery, Fred S.
Hamilton, Robert B., *see* Twedt, Daniel J.
Hare, arctic: 228
Hare, snowshoe: 526, 956
Haroldson, Mark A., *see* Boyce, Mark S.
Harrier, northern: 399
Hart Mountain National Antelope Refuge: 19–24
Harvest, *see* Hunting
Harvest, timber: 93, 130, 191–199, 430, 438, 487, 617, 669, 696–715, 936–940, 953–963, 1014–1027
movements of Allegheny woodrats in relation to timber harvesting, 148–156
productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
reduced predation of artificial nests in border-edge cuts on woodlots, 351–355
Hat pin: 471
Hawk, broad-winged: 880–886
Hawk, Cooper's: 334–344, 880–886
Hawk, red-tailed: 64, 334–344, 399, 881
Hawk, Swainson's: 399
Hawksbeard: 20
Hay: 132–136, 663–667
Hayslette, Steven E., and Ralph E. Mirarchi. Patterns of food preferences in mourning doves, 816–827
Hedysarum: 96–99
Hedysarum sulphurescens, see Hedysarum
Hegelback, Johann, *see* Pasinelli, Gilberto
Helianthus annuus, see Sunflower
Hellgren, Eric C., *see* Burrow, Anna L.
———, *see* Gabor, Timothy M.
———, *see* Kazmaier, Richard T.
Hematocrit: 809–815
Hemiptera: 861–870
Hemlock, eastern: 149, 482–488
Hemlock, western: 65–77, 191–199, 290, 1014–1027

Henne-Kerr, Jackie L., *see* Twedt, Daniel J.
Heracleum lanatum, see Parsnip, cow
Heron, great blue: 334–344
Heron, green-backed: 334–344
Heterogeneity: 287–288, 727, 733, 782–796, 871–879
estimation of brood and nest survival: comparative methods in the presence of heterogeneity, 258–270
induced spatial heterogeneity in forest canopies: responses of small mammals, 1014–1027
negative binomial models for abundance estimation of multiple closed populations, 498–509
Hibernation: 621, 646
forest management and female black bear denning, 34–40
Hickory: 2, 153–156, 482–488, 668–675
Hiking:
flush responses of Mexican spotted owls to recreationists, 312–317
Hilaria jamesii, see Galleta
Hilaria mutica, see Grass, tobosa
Hippotragus niger, see Antelope, sable
Hirundo rustica, see Swallow, barn
Hogplum: 101–110, 646–652, 654–660
Home range: 200–204, 511–519, 521–527, 533–540, 621, 899–914
Florida panther habitat use in response to prescribed fire, 141–147
habitat selection by the Texas tortoise in a managed thornscrub ecosystem, 653–660
home range, habitat use, and nocturnal activity of coyotes in an urban environment, 887–898
movements and home range dynamics of cottontail rabbits in Mississippi, 1004–1013
movements of Allegheny woodrats in relation to timber harvesting, 148–156
multi-scale habitat partitioning in sympatric suiforms, 99–110
scale-dependent habitat selection by mountain caribou, Columbia Mountains, British Columbia, 65–77
spacing behavior of the middle spotted woodpecker in central Europe, 432–441
terrestrial habitat preferences of adult arroyo southwestern toads, 633–644
Homoptera: 861–870
Honeycutt, Rodney L., *see* Ransom, Dean, Jr.,
Honeysuckle, bracted: 953–963
Honeysuckle, tartarian: 352
Hornbeam: 433
Horse, feral:
immunocontraception in feral horses: one inoculation provides one year of infertility, 235–241
Horsetail: 96, 195–199, 964–972
Hovey, Fred W., *see* McLellan, Bruce N.
HSI, *see* Habitat suitability index
Huckleberry, black: 67, 97
Human disturbance: 641–644
avoidance of cabins and power lines by reindeer during calving, 915–925
avoidance of industrial development by woodland caribou, 531–542
diurnal bed-site selection of urban-dwelling javelina in Prescott, Arizona, 136–140
effects of winter road grooming on bison in Yellowstone National Park, 560–572
flush responses of Mexican spotted owls to recreationists, 312–317
responses of desert bighorn sheep to increased human recreation, 573–582
Hummingbird, broad-tailed: 334–344
Hummingbird, ruby-throated: 450–460
Hunting: 1–9, 205–225, 228, 242–247, 304–309, 388–395, 415–424, 538–540, 544, 552–559, 716, 726–737, 741, 745–754, 781–796, 797–807, 846, 953–963
effects of hunting and hunting-hour extension on mourning dove foraging and physiology, 808–815
elk movement in response to early-season hunting in northwest Colorado, 926–940
male harvest in relation to female removals in a black-tailed deer population, 46–58
northern bobwhite and scaled quail abundance and hunting regulation: a Texas example, 828–837
Huot, Jean, *see* Ouellet, Jean-Pierre
Hurley, Jerome C., *see* Savarie, Peter J.
Huron National Forest: 880–886
Hyacinth, water: 738–744
Hyde, Erin J., and Theodore R. Simon. Sampling plethodontid salamanders: sources of variability, 624–632
Hydrilla verticillata, see Hydrilla
Hydrilla: 738–744
Hylocichla mustelina, see Thrush, wood
Hymenoptera: 196–199, 861–870
Hyperthermia: 115
Hypochaeris radicata, see Dandelion, false
Hypothermia: 19–24, 160–161, 251–255
Hypothesis, hard-seed-for-grit:
nutritional consequences of gastrolith ingestion in blue-winged teal: a test of the hard-seed-for-grit hypothesis, 406–414
Hypothesis, null:
the fall of the null hypothesis: liabilities and opportunities, 379–384 — Invited Paper
a proposed research emphasis to overcome the limits of wildlife–habitat relationship studies, 613–623 — Invited Paper
suggestions for presenting the results of data analyses, 373–378 — Invited Paper

I

Icteria virens, see Chat, yellow-breasted
Icterus galbula, see Oriole, Baltimore
Icterus spurius, see Oriole, orchard
Idaho: 65, 173–190, 223, 318–326, 899–914
IGBST, *see* Interagency Grizzly Bear Study Team
Ihl, Claudia and David R. Klein. Habitat and diet selection by muskoxen and reindeer in western Alaska,

964–972
Ilex glabra, see Gallberry
Illinois: 442, 448, 662, 672, 745–754, 808–815
Immobilization, chemical:
anesthesia of pronghorns using thiafentanil or thiafentanil plus xylazine, 25–28
reversible chemical restraint of fishers with medetomidine-ketamine and atipamezole, 157–163
Immunocontraception: 511
immunocontraception in feral horses: one inoculation provides one year of infertility, 235–241
porcine zona pellucida immunocontraception: long-term health effects on white-tailed deer, 941–945
Indiana: 442, 448, 738, 745–754
Indonesia: 356
Interagency Grizzly Bear Study Team: 500
Iowa: 442–449, 676, 745–754
Ireland: 282–289
Iron: 821–827
Isocoma tenuisecta, see Burroweed
Isotope, stable: 191–199

J

Jackrabbit, white-tailed: 511–519
Jackson Hole: 173–190
Jacobson, Harry A., *see* White, Thomas H., Jr.
Jaeger: 249
Jatropha dioica, see Leatherstem
Javelina:
diurnal bed-site selection of urban-dwelling javelina in Prescott, Arizona, 136–140
multi-scale habitat partitioning in sympatric suiforms, 99–110
Jay, blue: 352
Jenkins, Kurt J., *see* Barten, Neil L.
Johnson, Bruce K., *see* Cook, Rachel C.
Johnson, Douglas H., *see* Anderson, David R.
Johnston Atoll: 685–695
Juglans nigra, see Walnut, black
Juncus trifidus, see Rush, three-leaved
Juniper: 137–140, 301–309, 575, 621, 926–940
Juniper, Utah: 313–317
Juniperus osteosperma, see Juniper, Utah
Juniperus spp., *see* Juniper
Juniperus virginiana, see Cedar, eastern red

K

Kalmia latifolia, see Laurel, mountain
Kamahi: 30
Kaminski, Richard M., *see* Davis, J. Brian
Kangaroo: 585
Kansas: 745–754
Kazmaier, Richard T., Eric C. Hellgren, and Donald C. Ruthven, III. Habitat selection by the Texas tortoise in a managed thornscrub ecosystem, 653–660
Kazmaier, Richard T., *see* Burrow, Anna L.
Keim, Paul, *see* Mock, Karen E.
Kentucky: 11, 482–488, 745–754
Kestrel, American: 334–344
Ketamine: 25
reversible chemical restraint of fishers with medetomidine-ketamine and atipamezole, 157–163
Kilbride, Kevin M., *see* Gregg, Michael
Killdeer: 442–449, 676–684
Killian, Gary J., *see* Miller, Lowell A.
King, David I., Richard M. Degraaf, and Curtice R. Griffin. Productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
King, Nina M., *see* Guthery, Fred S.
Kingbird, eastern: 334–344, 442–449, 676–684
Kingbird, western: 334–344
Kingfisher, belted: 334–344, 696–715
Kinley, Trevor A., *see* Apps, Clayton D.
Kirkpatrick, Jay F., *see* Turner, John W., Jr.
Kirkpatrick, Roy L., *see* Sherfy, Mark H.
Kiwi, little spotted:
survival of little spotted kiwi exposed to the rodenticide brodifacoum, 29–34
Kjeldahl method: 131–136, 973–987
Klein, David R., *see* Ihl, Claudia
Klett and Johnson's method: 258–270
Knight, Richard L., *see* Davidson, Ann S.
Kohekohe: 30
Krausman, Paul R., *see* Grinder, Martha I.
Kreeger, Terry J., Walter E. Cook, Claude A. Piché, and Thomas Smith. Anesthesia of pronghorns using thiafentanil or thiafentanil plus xylazine, 25–28
Kroll, Roy W., *see* Robb, Joseph R.
Kunkel, Kyran, and Daniel H. Pletscher. Winter hunting patterns of wolves in and near Glacier National Park, Montana, 520–530
Kuntz, Robert C., II., *see* Dunwiddie, Peter W.
Kure Atoll: 692
Kuvlesky, William P., Jr., *see* Guthery, Fred S.

L

La Niña: 691
***Lacerta vivipara*:** 651
Lacki, Michael J., and Jeffery H. Schwierjohann. Day-roost characteristics of northern bats in mixed mesophytic forest, 482–488
Lactation: 78, 203
Lagopus lagopus, see Ptarmigan
Lagopus mutus, see Ptarmigan
Land, Charles L., *see* Guthery, Fred S.
Landscape, use: 617, 679–683
habitats selected by grizzly bears in a multiple use landscape, 92–99
home range, habitat use, and nocturnal activity of coyotes in an urban environment, 887–898
influence of landscape composition on bird use of rowcrop fields, 442–449
land cover and bobwhite abundance on Oklahoma farms and ranches, 838–849

Land-use planning: 186–190
Lane, M. Walter, II, *see* Palmer, William E.
Larch, western: 60, 93, 521
Larix laricina, see Tamarack
Larix occidentalis, see Larch, western
Lark, horned: 442–449
Larson, Michael A., Margaret E. Clark, and Scott R. Winterstein. Survival of ruffed grouse chicks in northern Michigan, 880–886
Larter, Nicholas C., and John A. Nagy. Overwinter changes in the urine chemistry of muskoxen from Banks Island, 226–234
Larus argentatus, see Gull
Larus canus, see Gull, mew
Larus fuscus, see Gull
Larus hyperboreus, see Gull, glaucous
Larus marinus, see Gull
***Lathyrus* spp.:** 196–199
Laurel, mountain: 149
Law of dispersion: 381–382, 848
Lead: 685–695
Leatherstem: 647–652
Leersia oryzoides, see Grass, rice cut
Lemming: 228
Lemmus sibiricus, see Lemming
Lemna spp., *see* Duckweed
Leopard, snow: 161
Leopold, Bruce D., *see* Bond, Bobby T.
———, *see* Davis, J. Brian
———, *see* White, Thomas H., Jr.
Lepidoptera: 861–870
Leptochloa fasicularis, see Sprangletop
Lepus americanus, see Hare, snowshoe
Lepus arcticus, see Hare, arctic
Lepus townsendii, see Jackrabbit, white-tailed
Leslie matrix: 415–424
Lespedeza: 407, 411
Leucophyllum frutescens, see Ceniza
Lichen: 66–77, 79, 83–92, 964–972
Lichen, snow: 918–925
Lichen, witch's hair: 66–77
Lignin: 816–827
Lily, white-water: 738–744
Lime: 433
Lindberg, Mark S., *see* Anderson, Michael G.
Lindzey, Frederick G., *see* Whittaker, Donald G.
Link, William A., *see* Anderson, David R.
Linked sex harvest strategy: 47–58
Lion: 498
Lion, mountain: 20, 48
Liquidambar styraciflua, see Gum, sweet
Liriodendron tulipifera, see Poplar, yellow
Litter: 645–652
Liu, Irwin K. W., *see* Turner, John W., Jr.
Livestock: 20, 30, 174–190, 319–320, 445, 480, 653–660, 980
Lizard, monitor: 357
Lizard, Texas horned:
microhabitat selection by Texas horned lizards in southern Texas, 645–652
Lizard-tail: 738–744
Lochmiller, Robert L., *see* Ditchkoff, Stephen S.
Locust, black: 352, 946–952
Locust, honey: 36, 946–952
Loiseleuria procumbens, see Azalea, alpine
Lomatium spp., *see* Parsley, desert
Lonicera involucrata, see Honeysuckle, bracted
Lonicera tatarica, see Honeysuckle, tartarian
Lontra canadensis, see Otter, river
Loon, common: 696–715
Loon, red-throated: 696–715
Loosestrife, California: 40–46
Lophodytes cucullatus, see Merganser, hooded
Lotus, American: 738–744
Louisiana: 327–333, 745–754, 783–796
Loxodonta africana, see Elephant, African
Lubow, Bruce C., *see* Anderson, David R.
Ludwigia uruguayensis, see Primrose, water
Lupine: 20, 196–199
Lupinus spp., *see* Lupine
Lusk, Jeffery J., *see* Guthery, Fred S.
Lycaon pictus, see Dog, African wild
Lymantria dispar, see Moth, gypsy
Lymphoid: 208
Lynx canadensis, see Lynx
Lynx rufus, see Bobcat
Lynx: 953–963
Lyonia lucida, see Fetterbush
Lysichitum americanum, see Cabbage, skunk
Lythrum hyssopifolium, see Loosestrife, California

M

MacKenzie, Darryl I., *see* Boyce, Mark S.
MacNulty, Daniel R., *see* Mech, L. David
Madsen, Jesper, *see* Frederiksen, Morten
Magnesium: 131–136, 406, 821–827
Magpie, American: 399
Magpie, black-billed: 334–344
Mahoe: 30
Mahogany, mountain: 137–140, 926–940
Maine: 745–754
Malecki, Richard A., Bruce D. J. Batt, and Susan E. Sheaffer. Spatial and temporal distribution of Atlantic population Canada geese, 242–247
Malheur National Forest: 60–65
Mallard: 41, 254, 334–344, 395, 399–405, 676–684, 726–744, 794, 884
condition indices of live-trapped American black ducks and mallards, 755–764
impact of the Conservation Reserve Program on duck recruitment in the U.S. Prairie Pothole Region, 765–780
Maltais, Jean, *see* Ouellet, Jean-Pierre
Manganese: 685–695, 821–827
Mange, psoroptic: 182–190
Manitoba: 745–754, 783–796
Manly, Bryan F. J., and Joel A. Schmutz. Estimation of

brood and nest survival: comparative methods in the presence of heterogeneity, 258–270
Manly, Bryan F. J., *see* Schmutz, Joel A.
———, *see* Boyce, Mark S.
Manzanita: 137–140
Maple: 2, 130–136, 149, 880–886
Maple, broadleaf; 291, 1024–1027
Maple, Norway: 433
Maple, red: 142, 484–488, 738–744
Maple, sugar: 352
Maple, vine: 291, 1023–1027
Mark Twain National Forest: 668–675
Markov chain Monte Carlo method: 726–737
Mark–recapture: 242–246, 356–365, 385–397, 685–695, 726–737, 797–807, 1004–1027
Marlow, Ronald W., *see* Anderson, David R.
Marrow: 973–997, 999–1003
Marten, American, *see* Marten, pine
Marten, pine: 61, 158–161
Martes americana, see Marten, American
Martes martes, see Marten, pine
Martes pennanti, see Fisher
Maryland: 244–247, 745–754
Massachusetts: 6, 244–247, 745–754
Massé, Hélène, Line Rochefort, and Gilles Gauthier. Carrying capacity of wetland habitats used by breeding greater snow geese, 271–281
Mast: 6, 148–156
Masters, Ronald E., *see* Guthery, Fred S.
———, *see* Ditchkoff, Stephen S.
Mayfield method: 258–270, 399–405
McCorquodale, Scott M. Sex-specific bias in helicopter surveys of elk: sightability and dispersion effects, 216–225
McCullough, Dale R. Male harvest in relation to female removals in a black-tailed deer population, 46–58
McLellan, Bruce N., and Fred W. Hovey. Habitats selected by grizzly bears in a multiple use landscape, 92–99
———, *see* Apps, Clayton D.
Meadow beauty: 471
Meadowlark, eastern: 442–449
Meadowlark, western: 442–449, 676–684
Mech, L. David, Douglas W. Smith, Kerry M. Murphy, and Daniel R. MacNulty. Winter severity and wolf predation on a formerly wolf-free elk herd, 998–1003
Medetomidine:
reversible chemical restraint of fishers with medetomidine-ketamine and atipamezole, 157–163
Medica, Philip A., *see* Anderson, David R.
Medicago sativa, see Alfalfa
Megadyptes antipodes, see Penguin, yellow-eyed
Melanerpes erythrocephalus, see Woodpecker, red-headed
Melanitta perspicillata, see Scoter, surf
Meleagris gallopavo, see Turkey, eastern wild
Meleagris gallopavo merriami, see Turkey, Merriam's
Meleagris gallopavo mexicana, see Turkey, Gould's
Melicytus ramiflorus, see Mahoe
Melospiza lincolnii, see Sparrow, Lincoln
Melospiza melodia, see Sparrow, song
Mengak, Michael T., *see* Castleberry, Steven B.
Mensik, John G., *see* Thomas, Carmen M.
Mephitis mephitis, see Skunk, striped
Mercury: 685–695
Merganser, common: 696–715
Merganser, hooded: 676–684
Mergus merganser, see Merganser, common
Merlin: 696–715
Mesquite, honey: 101–110, 646–652, 654–660
Mesquite, velvet: 850–860
Metal, heavy: 685–695
Metapopulation: 148–156
Methiocarb: 461–469
Method, information-theoretic:
the fall of the null hypothesis: liabilities and opportunities, 379–384 — Invited Paper
suggestions for presenting the results of data analyses, 373–378 — Invited Paper
Methyl anthranilate: 461–469
Mexico: 118–124, 633, 653, 856, 871–879
Michigan: 47, 188, 483, 745–754, 880–886
Microtus longicaudus, see Vole, long-tailed
Microtus montanus, see Vole, montane
Microtus oregoni, see Vole, creeping
Microtus spp., *see* Vole
Migrants, Neotropical:
avian nest success and community composition in a western riparian forest, 334–344
productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
Migration: 242–247, 621, 633–644, 733, 746, 755, 783–796, 797–807, 915–925, 926–940
effects of winter road grooming on bison in Yellowstone National Park, 560–572
elk movement in response to early-season hunting in northwest Colorado, 926–940
estimating the total number of birds using a staging site, 282–289
Miller, Lowell A., Ken Crane, Stan Gaddis, and Gary J. Killian. Porcine zona pellucida immunocontraception: long-term health effects on white-tailed deer, 941–945
Miller, Michael R., Casey L. Stemler, and Daniel S. Blankenship. Mourning dove productivity in California during 1992–95: was it sufficient to balance mortality?, 300–311
Miller, Michael W., *see* Gross, John E.
Millet: 755–764, 816–827
nutritional consequences of gastrolith ingestion in blue-winged teal: a test of the hard-seed-for-grit hypothesis, 406–414
Millet, browntop: 816–827
Millet, dove proso: 816–827
Millet, Japanese: 755–764
Millet, Walter's: 755–764
Millet, white proso: 816–827

Millspaugh, Joshua J., *see* Roloff, Gary J.
Milo:
nutritional consequences of gastrolith ingestion in blue-winged teal: a test of the hard-seed-for-grit hypothesis, 406–414
Minimum convex polygon: 432–441, 533–540, 633–644, 656–660, 887–898, 899–914, 1004–1013
Mink: 158–161, 205, 335, 398–405
Minnesota: 6, 442, 676, 738, 745–754, 783–796
Mint: 319
Mirarchi, Ralph E., *see* Hayslette, Steven E.
Mississippi: 6, 738–754, 1004–1013
Mississippi Alluvial Valley: 34–40, 450–460
Missouri: 6, 668–675, 745–754
Missouri Ozarks: 668–675
Mock, Karen E., Tad C. Theimer, Brian F. Wakeling, Olin E. Rhodes, Jr., David L. Greenberg, and Paul Keim. Verifying the origins of a reintroduced population of Gould's wild turkey, 871–879
Model, backpropagation: 120–124
Model, Cormack-Jolly-Seber: 385–397, 687–695
Model, habitat effectiveness:
validation tests of a spatially explicit habitat effectiveness model for Rocky Mountain elk, 899–914
Model, habitat suitability:
manipulative, multi-standard test of a white-tailed deer habitat suitability model, 953–963
Model, interference competition:
a conceptual interference model for introduced mountain goats, 125–128
Model, Jolly-Seber: 803
Model, Kaplan-Meier: 258–270, 417, 553–559, 799–807, 880–886, 946–952
Model, negative binomial:
negative binomial models for abundance estimation of multiple closed populations, 498–509
Model, neural network:
comparative habitat use by three quails in desert grassland, 850–860
multivariate perspectives on patch use by masked bobwhites, 118–124
Model, nutritional condition: 998–1003
development of predictive models of nutritional condition for Rocky Mountain elk, 973–987
nutritional condition models for elk: which are the most sensitive, accurate, and precise?, 988–997
Model, population dynamics:
an eastern wild turkey population dynamics model for Virginia and West Virginia, 415–424
Model, predictive: 65–77, 258–270, 973–987
a proposed research emphasis to overcome the limits of wildlife–habitat relationship studies, 613–623 — Invited Paper
Model, spatial variation:
modeling spatial variationin waterfowl band-recovery data, 726–737
Moen, Christine A., *see* Seamans, Mark E.
Mohave Desert: 583–597
***Mohonia nervosa*:** 196–199
Mole, coast: 1014–1027
Mole, shrew: 1014–1027
Molothrus ater, see Cowbird, brown-headed
Montana: 92–99, 398, 520–530, 745–754, 765–780, 783–796, 798, 899–914
***Montia* spp.:** 196–199
Moody, David, *see* Boyce, Mark S.
Moose: 89, 516, 552, 956, 961, 983, 999
winter hunting patterns of wolves in and near Glacier National Park, Montana, 520–530
Morrell, Thomas E., *see* Ticer, Cindy L.
Morrison, Michael L. A proposed research emphasis to overcome the limits of wildlife–habitat relationship studies, 613–623 — Invited Paper
Mortality: 177, 324, 781–796
age-specific causes of mortality among male white-tailed deer support mate-competition theory, 552–559
brushtail possum mortality and ambient temperatures following aerial poisoning using 1080, 476–481
mourning dove productivity in California during 1992–95: was it sufficient to balance mortality?, 300–311
northern bobwhite and scaled quail abundance and hunting regulation: a Texas example, 828–837
survival and cause-specific mortality of adult fox squirrels in southwestern Georgia, 200–204
survival of female wood ducks during brood rearing in Alabama and Mississippi, 738–744
Morus bassanus, see Gannet, northern
Moser, Timothy J., *see* Rasmussen, Paul W.
Moth, gypsy: 148
Mouse, deer: 154, 335, 511–519, 775
induced spatial heterogeneity in forest canopies: responses of small mammals, 1014–1027
Mouse, house: 29, 476, 1014–1027
Mouse, jumping: 1014–1027
Mouse, Keen's: 1014–1027
Mouse, western jumping: 335
Mouse, white-footed: 154
Multiple-brooding: 115
Murphy, Kerry M., *see* Mech, L. David
Murray, Dennis L., *see* Cook, Rachel C.
Murrelet, marbled:
using radar to estimate populations and assess habitat associations of marbled murrelets, 696–715
Mus musculus, see Mouse, house
Muskox:
habitat and diet selection by muskoxen and reindeer in western Alaska, 964–972
Mustard, tumble: 319
Mustela erminea, see Ermine
Mustela frenata, see Weasel, long-tailed
Mustela nigripes, see Ferret, black-footed
Mustela putorius, see Ferret, domestic
Mustela vison, see Mink
Muzzleloading: 926–940
Mycobacterium paratuberculosis, see Disease, Johne's
Myotis californicus, see Myotis, California

Myotis lucifugus, see Bat, little brown
Myotis septentrionalis, see Bat, northern
Myotis sodalis, see Bat, Indiana
Myotis thysanodes, see Myotis, fringed
Myotis, California: 494–496
Myotis, fringed:
characteristics of fringed myotis day roosts in northern California, 489–497
Myriophyllum spicatum, see Watermilfoil

N

Nagy, John A., *see* Larter, Nicholas C.
Naltrexone: 26–27
Nasal saddle: 387–395
National Elk Refuge:
winter feeding of elk in western North America, 173–190 — Invited Paper
National Wetland Inventory: 677, 767
Nebraska: 442, 745–754, 895
Nellemann, Christian, *see* Vistnes, Ingunn
Nelumbo lutea, see Lotus, American
Neotoma cinerea, see Woodrat, bushy-tailed
Neotoma fuscipes, see Woodrat, dusky-footed
Neotoma lepida, see Woodrat, desert
Neotoma micropus, see Woodrat, plains
Nest:
avian nest success and community composition in a western riparian forest, 334–344
Nest box: 740
Nest stands:
forest characteristics of northern goshawk nest stands and post-fledging areas in Oregon, 59–65
Nest, artificial:
effects of nest dimensions on use of artificial burrow systems by burrowing owls, 318–326
reduced predation of artificial nests in border-edge cuts on woodlots, 351–355
Net, cannon: 287
Net, mist: 433
Neurotrichus gibbsii, see Mole, shrew
Nevada: 235–241
New Zealand: 29–34
New Guinea: 356
New Hampshire: 158, 345–350, 483
New Jersey: 244–247, 783–796
New Mexico: 11, 783–796, 871–879
New York: 6–7, 244–247, 745–754, 783–796
New Zealand: 476–481
Newfoundland: 540
Newton, Wesley E., *see* Reynolds, Ronald E.
Niche:
a proposed research emphasis to overcome the limits of wildlife–habitat relationship studies, 613–623 — Invited Paper
Nickel: 685–695
Nighthawk, common: 334–344, 696–715
Nitrogen: 85–92, 274, 816–827
Nitrogen, fecal: 81–92
Nolte, Dale L., *see* Partridge, Steven T.
Nolte, Kenneth R., *see* Guthery, Fred S.
Norman, Gary C., *see* Alpizar-Jara, Russell
Norman, Gary W., James C. Pack, Curtis I. Taylor, David E. Steffen, and Kenneth H. Pollock. Reproduction of eastern wild turkeys in Virginia and West Virginia, 1–9
North American Waterfowl Management Plan: 402, 676, 768, 781
North Carolina: 244–247, 330, 624–632, 745–754, 861–870
North Dakota: 398–405, 662, 676–684, 745–754, 765–780
Northwest Forest Plan: 489, 496
Norway: 282–289, 915–925
***Notoxus* spp.:** 861–870
Nova Scotia: 745–754
Noxubee National Wildlife Refuge: 738–744
Nuthatch, European: 438
Nuthatch, white-breasted: 334–344
Nymphaea odorata, see Lily, white-water
Nyssa sylvatica, see Gum, black

O

O'Neill, Jack P., *see* Dyer, Simon J.
Oak: 2, 142, 148, 352, 432–441, 625, 636–644, 668–675, 850–860
Oak, black: 48–58, 482–488, 490–497
Oak, blackjack: 553, 838–849
Oak, blue: 48–58, 300–311
Oak, bur: 553, 899–914
Oak, California live: 490–497
Oak, chestnut: 484–488
Oak, dwarf: 471
Oak, Gambel: 313–317, 335, 926–940
Oak, interior live: 48–58, 301–309
Oak, northern red: 149, 484–488, 669, 738–744
Oak, Nuttall: 36, 451
Oak, Oregon white: 217–225, 490–497
Oak, overcup: 36, 38–39, 738–744
Oak, post: 553, 838–849
Oak, scarlet: 482–488
Oak, shrub live: 137–140
Oak, Shumard: 553
Oak, valley: 48-58, 301–309
Oak, water: 553
Oak, white: 482–488, 669
Oak, willow: 451
Oats: 132–136, 663–667, 973–987
Odocoileus hemionus, see Deer, mule
Odocoileus hemionus columbianus, see Deer, black-tailed
Odocoileus virginianus, see Deer, white-tailed
Ohio: 661–667, 745–764
Oklahoma: 11, 16, 745–754, 838–849, 850
Olympic Peninsula: 125–128
Oncorhynchus gorbuscha, see Salmon, pink
Oncorhynchus keta, see Salmon, chum
Oncorhynchus kisutch, see Salmon, coho
Oncorhynchus mykiss, see Trout, steelhead

Oncorhynchus spp., *see* Salmon
Oncoyhynchus tshawytscha, see Salmon, Chinook
Ontario: 745–754, 756, 783–796
Opheodrys vernalis, see Snake, smooth green
Oplopanax horridum, see Devil's club
Oporornis formosus, see Warbler, Kentucky
Opossum: 352
Opuntia leptocaulis, see Tasajillo
Opuntia lindheimeri, see Cactus, prickly-pear
Opuntia spp., *see* Cactus
Orchards: 300–311
Orcinus orca, see Whale, killer
Oreamnos americanus, see Goat, mountain
Oregon: 19–24, 59–65, 173–190, 745–754, 899–914, 973–997
Oriole, Baltimore: 334–344, 450–460
Oriole, northern, *see* Oriole, Baltimore
Oriole, orchard: 450–460
Orthoptera: 861–870
Oryctolagus cuniculus, see Rabbit, European
Oryza sativa, see Rice
Oryzopis hymenoides, see Grass, Indian rice
Ottawa National Wildlife Refuge: 755–764
Otter, Asian small-clawed: 158–161
Otter, river: 158-161
Ouellet, Jean-Pierre, Michel Créte, Jean Maltais, Christian Pelletier, and Jean Huot. Emergency feeding of white-tailed deer: test of three feeds, 129–136
Ovarian dysgenesis: 941–945
Ovenbird: 348
Ovibos moschatus, see Muskox
Ovis aries, see Sheep
Ovis canadensis, see Sheep, bighorn
Ovis canadensis californiana, see Sheep, California bighorn
Ovis canadensis canadensis, see Sheep, mountain
Ovis canadensis cremnobates, see Sheep, California bighorn
Ovis canadensis mexicana, see Sheep, desert bighorn
Ovis canadensis nelsoni, see Sheep, desert bighorn
Ovis dalli, see Sheep, mountain
Ovis spp., *see* Sheep
Owl, barred: 880–886
Owl, burrowing:
effects of nest dimensions on use of artificial burrow systems by burrowing owls, 318–326
Owl, California spotted:
spotted owl demography in the central Sierra Nevada, 425–431
Owl, great horned: 64, 334-344
Owl, Mexican spotted: 425
flush responses of Mexican spotted owls to recreationists, 312–317
Owl, northern spotted: 63, 153–156, 425
Oxydendrum arboreum, see Sourwood
Oxyura jamaicensis, see Duck, ruddy

P

Pachistima myrsinites, see Falsebox
Pack, James C., *see* Alpizar-Jara, Russell
———, *see* Norman, Gary W.
Palm, cabbage: 142
Palmer Drought Severity Index: 10–18
Palmer, William E., M. Walter Lane, II, and Peter T. Bromley. Human-imprinted northern bobwhite chicks and indexing arthropod foods in habitat patches, 861–870
Palmetto, saw: 142, 471
Paloverde: 654–660
Panicum: 553
Panicum spp., *see* Panicum
Panicum virgatum, see Grass, switch
Panther, Florida:
Florida panther habitat use in response to prescribed fire, 141–147
Panthera leo, see Lion
Panthera uncia, see Leopard, snow
Papouchis, Christopher M., Francis J. Singer, and William B. Sloan. Responses of desert bighorn sheep to increased human recreation, 573–582
Paradigm:
a proposed research emphasis to overcome the limits of wildlife–habitat relationship studies, 613–623 — Invited Paper
Parasitism, brood: 334–344, 450–460, 668–675
Parkinsonia texana, see Paloverde
Parsley, desert: 20, 196–199
Parsnip, cow: 96, 195–199
Partridge, Steven T., Dale L. Nolte, Georg J. Ziegltrum, and Charles T. Robbins. Impacts of supplemental feeding on the nutritional ecology of black bears, 191–199
Parula americana, see Parula, northern
Parula, northern: 450-460
Parus atricapillus, see Chickadee, black-capped
Pasinelli, Gilberto, Johann Hegelbach, and Heinz-Ulrich Reyer. Spacing behavior of the middle spotted woodpecker in central Europe, 432–441
Passer domesticus, see Sparrow, house
Passerculus sandwhichensis, see Sparrow, savannah
Passerella iliaca, see Sparrow, fox
Passerina amoena, see Bunting, lazuli
Passerina ciris, see Bunting, painted
Passerina cyanea, see Bunting, indigo
Pasteurella multocida, see Pasteurellosis
Pasteurellosis: 21–23, 183–190, 200–215
Patch size: 1014–1027
human-imprinted northern bobwhite chicks and indexing arthropod foods in habitat patches, 861–870
movements and home range dynamics of cottontail rabbits in Mississippi, 1004–1013
multivariate perspectives on patch use by masked bobwhites, 118–124
Patch use: 345–350, 887–898, 1014–1027
avian nest success and community composition in a western riparian forest, 334–344
multivariate perspectives on patch use by masked bobwhites, 118–124

Patton Diversity Index: 334–344
Pecan, bitter: 36
Pecan, sweet: 36
Peccary, collared:
diurnal bed-site selection of urban-dwelling javelina in Prescott, Arizona, 136–140
multi-scale habitat partitioning in sympatric suiforms, 99–110
Peccary, white-lipped: 106
Peery, M. Zachariah, *see* Seamans, Mark E.
Peewee, eastern wood: 450–460
Pee-wee, western wood: 334–344
Pellet counts: 953–963
Pellet, owl: 320
Pelletier, Christian, *see* Ouellet, Jean-Pierre
Penguin, Adélie: 692
Penguin, royal: 692
Penguin, yellow-eyed: 692
Pennsylvania: 157–163, 244–247, 351–355, 745–754
Pentatomidae: 861–870
Peromyscus keeni, see Mouse, Keen's
Peromyscus leucopus, see Mouse, white-footed
Peromyscus maniculatus, see Mouse, deer
Persimmon: 36
Persimmon, Texas: 646–652, 656–660
Peterson, Markus J. Northern bobwhite and scaled quail abundance and hunting regulation: a Texas example, 828–837
Peterson, Markus J., *see* Bridges, Andrew S.
———, *see* Guthery, Fred S.
Petroleum development: 915
avoidance of industrial development by woodland caribou, 531–542
Phaethon rubricauda, see Tropicbirds, red-tailed
Phalacrocorax penicillatus, see Cormorant, Brandt's
Phasianus colchicus, see Pheasant, ring-necked
Pheasant, ring-necked: 442–449, 847, 884
Phellinus weirii, see Root rot
Phencyclidine: 157
Pheucticus ludovicianus, see Grosbeak, rose-breasted
Pheucticus melanocephalus, see Grosbeak, black-headed
Phlox: 20
Phlox spp., *see* Phlox
Phormium spp., *see* Flax
Phosphorus: 131–136, 685–695, 821–827, 941–945, 973–987
Phrynosoma cornutum, see Lizard, Texas horned
***Phrynosoma solare*:** 650
Phylogenetic inertia: 55
Pica hudsonia, see Magpie, American
Pica pica, see Magpie, black-billed
Picea abies, see Spruce, Norway
Picea engelmanii, see Spruce, Engelmann
Picea glauca, see Spruce, white
Picea mariana, see Spruce, black
Picea rubens, see Spruce, red
Picea spp., *see* Spruce
Piché, Claude A., *see* Kreeger, Terry J.
Picoides borealis, see Woodpecker, red-cockaded
Picoides pubescens, see Woodpecker, downy
Picoides villosus, see Woodpecker, hairy
Pig: 30, 99–110, 585
Pig, feral:
multi-scale habitat partitioning in sympatric suiforms, 99–110
Pigeon: 527
Pigeon, band-tailed: 696–715
Pigeon, passenger: 661
Pigweed, spiny: 816–827
Pinder, D. Neil, *see* Veltman, Clare J.
Pine: 2, 141–147, 625, 850–860
Pine, Chihuahua: 871–879
Pine, gray: 301–309
Pine, jack: 532, 953–963
Pine, loblolly: 864–870
Pine, lodgepole: 60, 93, 521–527, 562
Pine, longleaf: 201, 864–870
Pine, pinyon: 137–140, 313–317, 575, 621, 926–940
Pine, ponderosa: 60, 137–140, 217–225, 313–317, 489, 521, 871–879, 899–914
Pine, red: 880–886
Pine, scots: 433
Pine, shortleaf: 482–488, 668–675
Pine, slash: 142
Pine, sugar: 490–497
Pine, white: 486–488, 880–886
Pine, whitebark: 93
Pintail, northern: 41, 400–405, 676–684, 751, 781
impact of the Conservation Reserve Program on duck recruitment in the U.S. Prairie Pothole Region, 765–780
Pinus albicaulis, see Pine, whitebark
Pinus banksiana, see Pine, jack
Pinus contorta, see Pine, lodgepole
Pinus echinata, see Pine, shortleaf
Pinus edulis, see Pine, pinyon
Pinus elliottii, see Pine, slash
Pinus lambertina, see Pine, sugar
Pinus leiophylla, see Pine, Chihuahua
Pinus palustris, see Pine, longleaf
Pinus ponderosa, see Pine, ponderosa
Pinus resinosa, see Pine, red
Pinus sabiniana, see Pine, gray
Pinus spp., *see* Pine
Pinus strobus, see Pine, white
Pinus sylvestris, see Pine, scots
Pinus taeda, see Pine, loblolly
Pipilo erythrophthalmus, see Towhee, eastern
Piranga rubra, see Tanager, summer
Pistachio: 301–309
Pituophis melanoleucus, see Snake, gopher
Platanus occidentalis, see Sycamore, American
***Plethodon glutinosus*:**
sampling plethodontid salamanders: sources of variability, 624–632
***Plethodon jordani*:**
sampling plethodontid salamanders: sources of variability, 624–632

***Plethodon oconluftee*:**
sampling plethodontid salamanders: sources of variability, 624–632
***Plethodon serratus*:**
sampling plethodontid salamanders: sources of variability, 624–632
Plethodontidae:
sampling plethodontid salamanders: sources of variability, 624–632
Pletscher, Daniel H., *see* Kunkel, Kyran
***Pleuropogon sabinei*:** 272–281
Pneumonia: 514
Poa spp., *see* Grass, blue
***Podarcis hispanica*:** 650
Podilymbus podiceps, see Grebe, pied-billed
Pogonomyrmex spp., *see* Ant, harvester
Poisoning:
brushtail possum mortality and ambient temperatures following aerial poisoning using 1080, 476–481
Poisoning, lead: 40–46, 254
Pollock, Kenneth H., *see* Alpizar-Jara, Russell
———, *see* Norman, Gary W.
Polyborus plancus, see Caracaras, crested
Polygala: 471
Polygala spp., *see* Polygala
Polygonum hydropiperoides, see Smartweed, swamp
Polygonum lapathifolium, see Smartweed, nodding
Polygonum pensylvanicum, see Smartweed
Polymer, controlled-release: 235–241
Polystichum munitum, see Fern, sword
Pontederia cordata, see Weed, pickerel
Pooecetes gramineus, see Sparrow, vesper
Poplar, balsam: 36, 450–460, 953–963, 964–972
Poplar, tulip, *see* Poplar, yellow
Poplar, yellow: 2, 149, 482–488, 625
Population estimation:
an eastern wild turkey population dynamics model for Virginia and West Virginia, 415–424
estimating the total number of birds using a staging site, 282–289
estimation of brood and nest survival: comparative methods in the presence of heterogeneity, 258–270
field trials of line transect methods applied to estimation of desert tortoise abundance, 583–597
negative binomial models for abundance estimation of multiple closed populations, 498–509
spotted owl demography in the central Sierra Nevada, 425–431
using radar to estimate populations and assess habitat associations of marbled murrelets, 696–715
Populus angustifolia, see Cottonwood, narrowleaf
Populus balsamifera, see Poplar, balsam
Populus deltoides, see Cottonwood
Populus grandidentata, see Aspen, large tooth
Populus spp., *see* Aspen
Populus tremuloides, see Aspen, trembling
Populus trichocarpa, see Cottonwood, black
Porcine zona pellucida:
immunocontraception in feral horses: one inoculation provides one year of infertility, 235–241
porcine zona pellucida immunocontraception: long-term health effects on white-tailed deer, 941–945
Porzana carolina, see Sora
Possum, brushtail: 29
brushtail possum mortality and ambient temperatures following aerial poisoning using 1080, 476–481
Post-fledging areas:
forest characteristics of northern goshawk nest stands and post-fledging areas in Oregon, 59–65
Potassium: 821–827, 941–945
Potentilla fruticosa, see Cinquefoil, shrub
Power lines:
avoidance of cabins and power lines by reindeer during calving, 915–925
Prairie dog: 323
Prairie dog, black-tailed: 480
Prairie Pothole Region: 398–405, 676–684
impact of the Conservation Reserve Program on duck recruitment in the U.S. Prairie Pothole Region, 765–780
Predation: 118–124, 200–204, 302–309, 334–344, 765–780, 850–860, 1004–1013
birth synchrony and survival of pronghorn fawns, 19–24
edge effects and ecological traps: effects on shrubland birds in Missouri, 668–675
effects of mammalian predator removal on production of upland-nesting ducks in North Dakota, 398–405
habitat use by female caribou: tradeoffs associated with parturition, 77–92
nest survival of forest birds in the Mississippi Alluvial Valley, 450–460
productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
reduced predation of artificial nests in border-edge cuts on woodlots, 351–355
surgical sterilization as a method of reducing coyote predation on domestic sheep, 510–519
winter hunting patterns of wolves in and near Glacier National Park, Montana, 520–530
winter severity and wolf predation on a formerly wolf-free elk herd, 998–1003
Prescribed burn: 186, 430, 527, 645–652, 659, 666, 669, 674, 858, 900
Florida panther habitat use in response to prescribed fire, 141–147
response of breeding Florida grasshopper and Bachman's sparrows to winter prescribed burning, 470–475
Primrose, water: 738–744
Procyon lotor, see Raccoon
Promazine: 157
Prosopis glandulosa, see Mesquite, honey
Prosopis velutina, see Mesquite, velvet
Protein: 130–136
Protein, crude: 194–199, 230–234

Prune: 301–309
Prunus pensylvanica, see Cherry, pin
Prunus serotina, see Cherry, black
Prunus spp., *see* Cherry
Prunus virginiana, see Cherry, choke
Pseudopanax arboreus, see Fivefinger
***Pseudotriton ruber*:**
sampling plethodontid salamanders: sources of variability, 624–632
Pseudotsuga menziesii, see Fir, Douglas
Psoroptes cervinus, see Mange, psoroptic
Psuedoroegneria spicata, see Grass, bluebunch wheat
Ptarmigan: 228, 411
Pteridium aquilinum, see Fern, bracken
Puffinus tenuirostris, see Shearwater, short-tailed
Puma, *see* Cougar
Puma concolor, see Cougar
Puma concolor coryi, see Panther, Florida
Purshia tridentata, see Bitterbrush
***P*-value:**
the fall of the null hypothesis: liabilities and opportunities, 379–384 — Invited Paper
suggestions for presenting the results of data analyses, 373–378 — Invited Paper
Pygoscelis papua, see Penguin, Adélie
PZP, *see* Porcine zona pellucida

Q

Quail, Arizona scaled:
comparative habitat use by three quails in desert grassland, 850–860
Quail, California: 10, 111
Quail, chestnut-bellied race: 857
Quail, Gambel's: 10, 111, 618, 844
comparative habitat use by three quails in desert grassland, 850–860
Quail, Montezuma: 850–860
Quail, scaled: 111, 844
differential influence of weather on regional quail abundance in Texas, 10–18
northern bobwhite and scaled quail abundance and hunting regulation: a Texas example, 828–837
Quebec: 129–136, 242–247, 745–754, 783–796
Quercus agrifolia, see Oak, live
Quercus alba, see Oak, white
Quercus chrysolepis, see Oak, California live
Quercus coccinea, see Oak, scarlet
Quercus douglasii, see Oak, blue
Quercus gambelli, see Oak, Gambel
Quercus garryana, see Oak, Oregon white
Quercus kelloggii, see Oak, black
Quercus lobata, see Oak, valley
Quercus lyrata, see Oak, overcup
Quercus macrocarpa, see Oak, bur
Quercus marilandica, see Oak, blackjack
Quercus minima, see Oak, dwarf
Quercus nigra, see Oak, water
Quercus nuttallii, see Oak, Nuttall
Quercus phellos, see Oak, willow
Quercus prinus, see Oak, chestnut
Quercus rubra, see Oak, northern red
Quercus shumardii, see Oak, Shumard
Quercus spp., *see* Oak
Quercus stellata, see Oak, post
Quercus turbinella, see Oak, shrub live
Quercus velutina, see Oak, black
Quercus wislizenii, see Oak, interior live
Quiscalus quiscula, see Grackle, common

R

Rabbit, cottontail: 511–519
movements and home range dynamics of cottontail rabbits in Mississippi, 1004–1013
Rabbit, European: 29, 236–240
Rabbitbrush: 20, 926–940
Raccoon: 148, 335, 352, 398–405, 476, 658
Radar, high-frequency marine:
using radar to estimate populations and assess habitat associations of marbled murrelets, 696–715
Radiotelemetry: 1–40, 67–99, 101–110, 118–124, 136–156, 182–199, 200–204, 216-225, 248–257, 298, 415–424, 432–441, 482–483, 489–497, 511–519, 553–559, 584–597, 633–652, 738–744, 880–914, 946–952, 964–972, 999–1003, 1004–1013
Radiotransmitter, backpack: 645–652
Radiotransmitter, harness: 246
Ragweed, common: 816–827
Rail, Virginia: 676–684
Rain: 10–18, 46–58, 116, 248–257, 300–311, 324, 662–667, 677
Rallus limicola, see Rail, Virginia
Ramsar Convention: 282
Rangifer tarandus, see Caribou
Rangifer tarandus caribou, see Caribou
Rangifer tarandus groenlandicus, see Caribou, barren-ground
Rangifer tarandus pearyi, see Caribou, Peary
Rangifer tarandus tarandus, see Caribou
Ransom, Dean, Jr., Rodney L. Honeycutt, and R. Douglas Slack. Population genetics of southeastern wood ducks, 745–754
***Ranunculus* spp.:** 196–199
Raptors: 64, 312–317, 334–344, 399, 856, 880–886
Rasmussen, Paul W., William E. Wheeler, Timothy J. Moser, Lawrence E. Vine, Brian D. Sullivan, and Donald H. Rusch. Measurements of Canada goose morphology—sources of error and effects on classification of subspecies, 716–725
Raspberry, wild red: 953–963
Rat, Pacific:
survival of little spotted kiwi exposed to the rodenticide brodifacoum, 29–34
Ratti, John T., Ann M. Rocklage, John H. Giudice, Edward O. Garton, and Daniel P. Golner. Comparison of avian communities on restored and natural wetlands in North and South Dakota, 676–684

Rattlesnake, western: 335
Rattus exulans, see Rat, Pacific
Raven, common: 316, 696–715, 1001
Recreation: 641–644, 936–940
avoidance of cabins and power lines by reindeer during calving, 915–925
effects of winter road grooming on bison in Yellowstone National Park, 560–572
flush responses of Mexican spotted owls to recreationists, 312–317
responses of desert bighorn sheep to increased human recreation, 573–582
Recruitment: 621, 765–780, 828–837
declining scaup populations: a retrospective analysis of long-term population and harvest survey data, 781–796
effect of adult sex ratio on mule deer and elk productivity in Colorado, 543–551
effects of mammalian predator removal on production of upland-nesting ducks in North Dakota, 398–405
probability of survival and breeding for juvenile female canvasbacks, 385–397
survival of female wood ducks during brood rearing in Alabama and Mississippi, 738–744
survival of ruffed grouse chicks in northern Michigan, 880–886
Redhead: 676–684, 771–780
Redstart, American: 334–350
Redwood: 153–156
Reed, Dale F. A conceptual interference model for introduced mountain goats, 125–128
Reed, giant: 634
Reindeer, *see* Caribou
Renner, Randy W., *see* Reynolds, Ronald E.
Repellent, chemical:
effect of primary and secondary repellents on European starlings: an initial assessment, 461–469
Reproduction: 34, 318–326, 621, 638–644, 650–652, 781–796, 1004–1013
avoidance of cabins and power lines by reindeer during calving, 915–925
condition indices of live-trapped American black ducks and mallards, 755–764
decline of the red-winged blackbird population in Ohio correlated to changes in agriculture (1965–1996), 661–667
edge effects and ecological traps: effects on shrubland birds in Missouri, 668–675
effect of adult sex ratio on mule deer and elk productivity in Colorado, 543–551
effects of a chemical weapons incineration plant on red-tailed tropicbirds, 685–695
effects of mammalian predator removal on production of upland-nesting ducks in North Dakota, 398–405
habitat use by female caribou: tradeoffs associated with parturition, 77–92
heat loads on reproducing bobwhites in the semiarid subtropics, 111–117
reproduction of eastern wild turkeys in Virginia and West Virginia, 1–9
productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
response of breeding Florida grasshopper and Bachman's sparrows to winter prescribed burning, 470–475
translocation of red-cockaded woodpeckers by reciprocal fostering of nestlings, 327–333
Resource selection:
multi-scale habitat partitioning in sympatric suiforms, 99–110
Resource utilization function: 616–623
Reyer, Heinz-Ulrich, *see* Pasinelli, Gilberto
Reynolds, Ronald E., Terry L. Schaffer, Randy W. Renner, Wesley E. Newton, and Bruce D. J. Batt. Impact of the Conservation Reserve Program on duck recruitment in the U.S. Prairie Pothole Region, 765–780
Rhamnus: 97
Rhamnus alnifolia, see Rhamnus
Rhexia spp., *see* Meadow beauty
Rhinoceros unicornis, see Rhinoceros, Indian one-horned
Rhinoceros, Indian one-horned: 498
Rhodes, Olin E., Jr., *see* Mock, Karen E.
Rhododendron, rosebay: 149, 482–488
Rhododendron maximum, see Rhododendron, rosebay
Rhus trilobata, see Sumac, skunk-bush
Rhynchospora spp., *see* Rush, beak
Ribes triste, see Currant, wild red
Rice: 662–667
Ringtail: 335
Riparian: 290–311, 442–449, 617, 634, 658–659
avian nest success and community composition in a western riparian forest, 334–344
habitats selected by grizzly bears in a multiple use landscape, 92–99
Roads: 75, 94, 442–449, 486, 521–527, 531–542, 553–559, 641–644, 894, 899–925
effects of winter road grooming on bison in Yellowstone National Park, 560–572
responses of desert bighorn sheep to increased human recreation, 573–582
Robb, Joseph R., Gildo M. Tori, and Roy W. Kroll. Condition indices of live-trapped American black ducks and mallards, 755–764
Robbins, Charles T., *see* Partridge, Steven T.
Robertson, Hugh A., and Rogan M. Colbourne. Survival of little spotted kiwi exposed to the rodenticide brodifacoum, 29–34
Robin, American: 334–344, 352, 442–449
Robinia pseudoacacia, see Locust, black
Rochefort, Line, *see* Massé, Hélène
Rocklage, Ann M., *see* Ratti, John T.
Rodenticide:
survival of little spotted kiwi exposed to the rodenticide brodifacoum, 29–34

Rohwer, Frank C., *see* Garrettson, Pamela R.
Roloff, Gary J., Joshua J. Millspaugh, Robert A. Gitzen, and Gary C. Brundige. Validation tests of a spatially explicit habitat effectiveness model for Rocky Mountain elk, 899–914
Roost sites:
characteristics of fringed myotis day roosts in northern California, 489–497
day-roost characteristics of northern bats in mixed mesophytic forest, 482–488
Root rot: 1016
Rosa acicularis, see Rose, prickly
***Rosa gymnocarpa*:** 196–199
Rosa multiflora, see Rose, multiflora
Rose, multiflora: 352
Rose, prickly: 953–963
Rothley, Kristina D. Manipulative, multi-standard test of a white-tailed deer habitat suitability model, 953–963
Roundworm, ascarid: 148
Roy, Charlotte, and Alan Woolf. Effects of hunting and hunting-hour extension on mourning dove foraging and physiology, 808–815
Royle, J. Andrew, and James A. Dubovsky. Modeling spatial variation in waterfowl band-recovery data, 726–737
Rubus discolor, see Blackberry
Rubus idaeus, see Raspberry, wild red
Rubus spectabilis, see Salmonberry
Rubus spp., *see* Blackberry
Rubus ursinus, see Blackberry, California
Rubus ursinus, see Blackberry, trailing
RUF, *see* Resource utilization function
***Rumex* spp.:** 196–199
Rusch, Donald H., *see* Rasmussen, Paul W.
Rush, beak: 471
Rush, three-leaved: 918–925
Russia: 797–807
Rutberg, Allen T., *see* Turner, John W., Jr.
Ruthven, Donald C., III, *see* Burrow, Anna L.
———, *see* Kazmaier, Richard T.

S

Sabal palmetto, see Palm, cabbage
Sacramento National Wildlife Refuge: 40–46
Sage, hop: 20
Sage, sand: 838–849
Sagebrush: 61, 236, 511, 998–1003
Sagebrush, big: 20, 319, 335, 926–940
Sagebrush, low: 20
Sagittaria latifolia, see Arrowhead, common
Salal: 291, 1014–1027
Salix alaxensis, see Willow, feltleaf
Salix arctica, see Willow, arctic
Salix candida, see Willow, hoary
***Salix glauca*:** 964–972
Salix laevigata, see Willow, Pacific
***Salix lanata*:** 964–972
Salix nigra, see Willow, black
Salix pulchra, see Willow, diamond leaf
Salix spp., *see* Willow
Salmon: 193–199
Salmon, chinook: 291–299
Salmon, chum: 290–299
Salmon, coho: 291–299
Salmon, pink: 291–299
Salmonberry: 196–199
Saltbush: 575
Salvelinus namaycush, see Trout, lake
Sambucus racemosa, see Elderberry, red
Samuel, Michael D., Diana R. Goldberg, Arthur E. Smith, Vasily V. Baranyuk, and Evan G. Cooch. Neckband retention for lesser snow geese in the western Arctic, 797–807
Sandpiper, upland: 442-449, 666
Sapwood: 191–199
Saskatchewan: 745–754, 783–796, 953–963
Saskatoon, *see* Serviceberry
Sassafras albidum, see Sassafras
Sassafras: 36, 484–488
Saururus cernuus, see Lizard-tail
Savarie, Peter J., John A. Shivik, Gary C. White, Jerome C. Hurley, and Larry Clark. Use of acetaminophen for large-scale control of brown treesnakes, 356–365
Sayre, Roger W., and Larry Clark. Effect of primary and secondary repellents on European starlings: an initial assessment, 461–469
Scabies, *see* Mange, psoroptic
Scapanus orarius, see Mole, coast
Scat: 81–92, 193–199
Scaup, greater:
declining scaup populations: a retrospective analysis of long-term population and harvest survey data, 781–796
Scaup, lesser: 676–684, 771–780
declining scaup populations: a retrospective analysis of long-term population and harvest survey data, 781–796
***Sceloporus merriami*:** 650
Schaffer, Terry L., *see* Reynolds, Ronald E.
Schenk, Gary A., *see* Schreiber, E. A.
Schizachyrium scoparium, see Grass, little bluestem
Schmutz, Joel A., Bryan F. J. Manly, and Christian P. Dau. Effects of gull predation and weather on survival of emperor goose goslings, 248–257
———, *see* Manly, Bryan F. J.
Schreiber, E. A., Paul F. Doherty, Jr., and Gary A. Schenk. Effects of a chemical weapons incineration plant on red-tailed tropicbirds, 685–695
Schwierjohann, Jeffery H., *see* Lacki, Michael J.
Scirpus acutus, see Bulrush, hardstem
Scirpus tuberosus, see Bulrush, tuberous
Scirpus validus, see Bulrush, softstem
Sciurus carolinensis, see Squirrel, gray
Sciurus niger, see Squirrel, fox
Sciurus niger avicennia, see Squirrel, Big Cypress fox
Sciurus niger cinereus, see Squirrel, Delmarva fox

Sciurus niger shermani, see Squirrel, Sherman's fox
Score, body-condition: 973–997
Score, Kistner: 973–997
Scoter, surf: 696–715
Scotland: 177, 692
Seamans, Mark E., R. J. Gutiérrez, Christine A. Moen, and M. Zachariah Peery. Spotted owl demography in the central Sierra Nevada, 425–431
Sedge: 964–972
Sedge, Bigelow's: 918–925
Sedge, bottle: 918–925
Sedge, water: 227, 272, 918–925
Segregation, sexual: 216–225
Seiurus aurocapillus, see Ovenbird
Selasphorus platycercus, see Hummingbird, broad-tailed
Selenium: 247–254, 685–695
Sequoia sempervirens, see Redwood
Serenoa repens, see Palmetto, saw
Serfass, Thomas L., *see* Dzialak, Matthew R.
Serviceberry: 180, 335, 926–940, 953–963
Setaria lutescens, see Grass, yellow bristle
Setophaga ruticilla, see Redstart, American
Sex ratio: 216–225, 781–796
  effect of adult sex ratio on mule deer and elk productivity in Colorado, 543–551
Shannon-Wiener diversity index: 676–684, 838–849
Sheaffer, Susan E., *see* Malecki, Richard A.
Shearwater, Cory's: 692
Shearwater, short-tailed: 692
Sheep: 20, 30, 88–90, 125–128, 173, 205, 526–527, 573–582, 999
  surgical sterilization as a method of reducing coyote predation on domestic sheep, 510–519
Sheep, bighorn: 88–90, 173, 205, 527, 999
Sheep, California bighorn: 20, 574
Sheep, desert bighorn: 231
  responses of desert bighorn sheep to increased human recreation, 573–582
Sheep, mountain: 89, 173, 526, 999
  a conceptual interference model for introduced mountain goats, 125–128
Shepherdia canadensis, see Buffaloberry
Sherfy, Mark H., Roy L. Kirkpatrick, and Kenneth E. Webb, Jr. Nutritional consequences of gastrolith ingestion in blue-winged teal: a test of the hard-seed-for-grit hypothesis, 406–414
Shivik, John A., *see* Savarie, Peter J.
Shot, lead:
  effects of tillage on lead shot distribution in wetland sediments, 40–46
Shot, steel: 45
Shoveler, northern: 399–405, 676–684
  impact of the Conservation Reserve Program on duck recruitment in the U.S. Prairie Pothole Region, 765–780
Shrew, marsh: 1014–1027
Shrew, montane: 1014–1027
Shrew, Trowbridge's: 1014–1027
Shrew, vagrant: 1014–1027
Shriver, W. Gregory, and Peter D. Vickery. Response of breeding Florida grasshopper and Bachman's sparrows to winter prescribed burning, 470–475
Shrubland:
  edge effects and ecological traps: effects on shrubland birds in Missouri, 668–675
  habitat selection by the Texas tortoise in a managed thornscrub ecosystem, 653–660
  productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
Sialia currucoides, see Bluebird, mountain
Sialia sialis, see Bluebird, eastern
Sierra Nevada: 425–431
Sightability:
  sex-specific bias in helicopter surveys of elk: sightability and dispersion effects, 216–225
Silktassel: 137–140
Silver: 685–695
Silviculture: 93, 130, 191–199, 430, 438, 487, 617, 669, 696–715, 936–940, 953–963, 1014–1027
  forest management and female black bear denning, 34–40
  movements of Allegheny woodrats in relation to timber harvesting, 148–156
  nest survival of forest birds in the Mississippi Alluvial Valley, 450–460
  productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
  reduced predation of artificial nests in border-edge cuts on woodlots, 351–355
Silvy, Nova J., *see* Bridges, Andrew S.
———, *see* Gabor, Timothy M.
———, *see* Guthery, Fred S.
Simon, Theodore R., *see* Hyde, Erin J.
Simpson's diversity index: 676–684
Singer, Francis J., *see* Papouchis, Christopher M.
Siskin, pine: 334–344
Sisymbrium altissimum, see Mustard, tumble
Sitta carolinensis, see Nuthatch, white-breasted
Sitta europaea, see Nuthatch, European
Six Rivers National Forest: 489–497
Skua, great: 692
Skull: 716–725
Skunk, striped: 324, 335, 352, 398–405, 765
Slack, R. Douglas, *see* Ransom, Dean, Jr.
Sloan, William B., *see* Papouchis, Christopher M.
Slope: 138–140
Smartweed: 41, 406–414
Smartweed, nodding: 755–764
Smartweed, swamp: 738–744
Smeins, Fred E., *see* Bridges, Andrew S.
Smilax spp., *see* Greenbrier
Smith, Arthur E., *see* Samuel, Michael D.
Smith, Brian W., and James R. Belthoff. Effects of nest dimensions on use of artificial burrow systems by burrowing owls, 318–326
Smith, Bruce L. Winter feeding of elk in western North

America, 173–190 — Invited Paper
Smith, Douglas W., *see* Mech, L. David
Smith, Thomas, *see* Kreeger, Terry J.
Smith, Winston P., *see* White, Thomas H., Jr.
Snag: 482–497, 669, 1014–1027
Snake, black rat: 352, 672
Snake, brown tree:
use of acetaminophen for large-scale control of brown treesnakes, 356–365
Snake, eastern garter: 352
Snake, gopher: 335
Snake, smooth green: 335
Snake, western terrestrial garter: 335
Snakeweed: 850–860
Snare, foot: 36, 93, 192, 399–405
Snipe, common: 334–344
Snow: 6–9, 65–92, 129–136, 173–199, 216–234, 516, 521–527, 531–542, 560–572, 915–925, 953–972, 998–1003
effects of winter road grooming on bison in Yellowstone National Park, 560–572
Snowberry, common: 926–940
Snowmobile: 74, 560–572, 918–925, 965
Sodium: 973–987
Sodium monofluoroacetate:
brushtail possum mortality and ambient temperatures following aerial poisoning using 1080, 476–481
Soil Bank Act: 778
Solenopsis invicta, see Ant, fire
Solomon Islands: 356
Sora: 676–684
Sorex bendirii, see Shrew, marsh
Sorex monticolus, see Shrew, montane
Sorex trowbridgii, see Shrew, Trowbridge's
Sorex vagrans, see Shrew, vagrant
Sorghum bicolor, see Grass, Sudan
Sorghum halepense, see Grass, Johnson
Sourwood: 482–488
South Carolina: 308, 745–754
South Dakota: 676–684, 742, 745–754, 765–780, 899–914
Soybean: 442–449, 661–667, 846, 861–870, 1004–1013
Sparrow, Bachman's:
response of breeding Florida grasshopper and Bachman's sparrows to winter prescribed burning, 470–475
Sparrow, clay-colored: 676–684
Sparrow, field: 668–675
Sparrow, Florida grasshopper:
response of breeding Florida grasshopper and Bachman's sparrows to winter prescribed burning, 470–475
Sparrow, fox: 334–344, 877
Sparrow, grasshopper: 442–449, 666, 676–684
Sparrow, house: 442–449
Sparrow, Lincoln: 334–344
Sparrow, savannah: 676–684
Sparrow, song: 334–344, 348, 442–449, 676–684
Sparrow, vesper: 442–449
Sparrow, white-crowned: 813
Sparrow, white-throated: 345–350
Species abundance: 442–449, 624–632, 668–684
avian nest success and community composition in a western riparian forest, 334–344
land cover and bobwhite abundance on Oklahoma farms and ranches, 838–849
Species diversity: 442–449, 624–632, 668–684
Species richness: 442–449, 624–632, 668–684, 1010
avian nest success and community composition in a western riparian forest, 334–344
Species, endangered: 318, 327–333, 432–441, 470–475, 482, 583–597, 633–644
Species, exotic: 125, 634
use of acetaminophen for large-scale control of brown treesnakes, 356–365
Species, K-selected: 38, 203
Species, threatened: 148–156, 318, 425, 633, 653–660, 696–715
Spermophilus armatus, see Squirrel, ground Uinta
Spermophilus belding, see Squirrel, Belding ground
Spermophilus franklinii, see Squirrel, Franklin's ground
Spermophilus lateralis, see Squirrel, golden-mantled ground
Spermophilus spp., *see* Squirrel, ground
Spikerush, dwarf: 43
Spiza americana, see Dickcissel
Spizella pallida, see Sparrow, clay-colored
Spizella pusilla, see Sparrow, field
Spoonbill, roseate: 752
Sprangletop: 41, 43
Spruce: 521
Spruce, black: 79, 532, 953–963
Spruce, Engelmann: 65–77, 93, 926–940
Spruce, Norway: 433
Spruce, red: 149
Spruce, white: 79, 93, 532, 953–963
Squirrel, Belding ground: 63
Squirrel, big cypress fox: 200–204
Squirrel, Delmarva fox: 200–204
Squirrel, Douglas: 1014–1027
Squirrel, fox: 352
survival and cause-specific mortality of adult fox squirrels in southwestern Georgia, 200–204
Squirrel, Franklin's ground: 399
Squirrel, golden-mantled ground: 335
Squirrel, gray: 200–204, 352
Squirrel, ground: 63, 323, 516
Squirrel, ground Uinta: 511–519
Squirrel, northern flying: 1014–1027
Squirrel, pine: 335
Squirrel, Sherman's fox: 200–204
Squirreltail: 20
Starling, European: 334–344, 438
effect of primary and secondary repellents on European starlings: an initial assessment, 461–469
Starry, William R., *see* Ditchkoff, Stephen S.
Starvation: 19–24, 129–136
Statistics:
the fall of the null hypothesis: liabilities and opportu-

nities, 379–384 — Invited Paper
a proposed research emphasis to overcome the limits of wildlife–habitat relationship studies, 613–623 — Invited Paper
suggestions for presenting the results of data analyses, 373–378 — Invited Paper
Steffen, David E., *see* Alpizar-Jara, Russell
———, *see* Norman, Gary W.
Steidl, Robert J., *see* Swarthout, Elliot C. H.
Stemler, Casey L., *see* Miller, Michael R.
Stercorarius spp., *see* Jaeger
Sterilization, surgical:
surgical sterilization as a method of reducing coyote predation on domestic sheep, 510–519
Sterna dougallii, see Tern, roseate
Steubing, Frederick B., *see* Guthery, Fred S.
Stipa comata, see Grass, needle-and-thread
Stipa speciosa, see Grass, desert needle
Stipa spp., *see* Grass, needle
Strix occidentalis, see Owl, northern spotted
Strix occidentalis lucida, see Owl, Mexican spotted
Strix occidentalis occidentalis, see Owl, California spotted
Strix varia, see Owl, barred
Strychnine: 398
Sturnella magna, see Meadowlark, eastern
Sturnella neglecta, see Meadowlark, western
Sturnus vulgaris, see Starling, European
Succession, early:
productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
Succinylcholine: 25
Sugar, cane: 193–199
Sugarberry: 36, 451, 656–660
Sula dactylatra, see Booby, masked
Sula leucagaster, see Booby, brown
Sullivan, Brian D., *see* Rasmussen, Paul W.
Sumac, skunk-bush: 137–140
Sunflower: 662–667, 808–815
Survey, call: 838–849
Survey, helicopter: 30–33, 216–225, 243, 929–940
sex-specific bias in helicopter surveys of elk: sightability and dispersion effects, 216–225
Survey, line transect:
field trials of line transect methods applied to estimation of desert tortoise abundance, 583–597
Survival: 1–18, 284–288, 300–311, 345–350, 425–431, 510–519, 619, 755–807, 808-815, 946–952
birth synchrony and survival of pronghorn fawns, 19–24
effects of a chemical weapons incineration plant on red-tailed tropicbirds, 685–695
effects of gull predation and weather on survival of emperor goose goslings, 248–257
estimation of brood and nest survival: comparative methods in the presence of heterogeneity, 258–270
probability of survival and breeding for juvenile female canvasbacks, 385–397
survival and cause-specific mortality of adult fox squirrels in southwestern Georgia, 200–204
survival of female wood ducks during brood rearing in Alabama and Mississippi, 738–744
survival of little spotted kiwi exposed to the rodenticide brodifacoum, 29–34
survival of ruffed grouse chicks in northern Michigan, 880–886
Sus scrofa, see Pig, feral
Sus spp., *see* Pig
Swallow, barn: 442–449
Swallow, tree: 334–344, 348
Swallow, violet-green: 696–715
Swan, tundra: 40–46, 802–807
Swan, whooper:
estimating the total number of birds using a staging site, 282–289
Swarthout, Elliot C. H., and Robert J. Steidl. Flush responses of Mexican spotted owls to recreationists, 312–317
Sweden: 438
Swift, chimney: 442–449
Swift, Vaux's: 697–715
Switzerland: 432–441
Sycamore, American: 36, 482–488, 636–644
Sylvilagus floridanus, see Rabbit, cottontail
Sylvilagus nuttallii, see Cottontail, Nuttall's
Sympatric:
a conceptual interference model for introduced mountain goats, 125–128
population characteristics of sympatric mule and white-tailed deer on Rocky Mountain Arsenal, Colorado, 946–952
Symphoricarpos utahensis, see Snowberry, common
Synchrony, birth:
birth synchrony and survival of pronghorn fawns, 19–24

T

Tachycineta bicolor, see Swallow, tree
Tachycineta thalassina, see Swallow, violet-green
Tag, ear: 1004–1027
Tag, electronic microchip: 356–366
Tamarack: 532
Tamias minimus, see Chipmunk, least
Tamias striatus, see Chipmunk, eastern
Tamias townsendii, see Chipmunk, Townsend's
Tamiasciurus douglasii, see Squirrel, Douglas
Tamiasciurus hudsonicus, see Squirrel, pine
Tanager, summer: 450–460
Tarsus: 716–725, 755–764
Tasajillo: 646–652
Taxidea taxus, see Badger, American
Taxodium distichum, see Cypress, bald
Taxodium spp., *see* Cypress
Taxus brevifolia, see Yew, western
Tayassu pecari, see Peccary, white-lipped
Tayassu tajacu, see Javelina
Tayassu tajacu, see Peccary, collared

Taylor, Curtis L., *see* Norman, Gary W.
Teal, blue-winged: 399–405, 676–684
impact of the Conservation Reserve Program on duck recruitment in the U.S. Prairie Pothole Region, 765–780
nutritional consequences of gastrolith ingestion in blue-winged teal: a test of the hard-seed-for-grit hypothesis, 406–414
Teal, cinnamon: 676–684
Teal, green-winged: 41, 771–780
Telazol: 157
Telemetry, satellite: 242–247
Temperature: 1–19, 118–124, 136–140, 482–497, 618, 634–652, 755–764, 816–827, 850–860
brushtail possum mortality and ambient temperatures following aerial poisoning using 1080, 476–481
heat loads on reproducing bobwhites in the semiarid subtropics, 111–117
Tennessee: 624–632, 745–754
Tensas River National Wildlife Refuge: 450–460
Tern, roseate: 687
Tettigoniidae: 861–870
Texas: 10–18, 55, 99–117, 139, 645–652, 745–754, 783–796, 828–838, 850, 984
Thallium: 685–695
Thamnophis elegans, see Snake, western terrestrial garter
Thamnophis sirtalis, see Snake, eastern garter
Theimer, Tad C., *see* Mock, Karen E.
Theory:
a proposed research emphasis to overcome the limits of wildlife–habitat relationship studies, 613–623 — Invited Paper
Theory, mate-competition:
age-specific causes of mortality among male white-tailed deer support mate-competition theory, 552–559
Thermoregulation: 1–19, 111–124, 136–140, 482–497, 634–652, 850–860
Thiefentanil:
anesthesia of pronghorns using thiafentanil or thiafentanil plus xylazine, 25–28
Thomas, Carmen M., John G. Mensik, and Cliff L. Feldheim. Effects of tillage on lead shot distribution in wetland sediments, 40–46
Thomas, Len, *see* Anderson, David R.
Thompson, Frank R., III, *see* Woodward, April A.
Thrasher, brown: 348, 442–449
Thrush, hermit: 345–350
Thrush, Swainson's: 334–350
Thrush, wood: 348, 352, 450–460
Thuja occidentalis, see Cedar, white
Thuja plicata, see Cedar, western red
Thyreocoridae: 861–870
Ticer, Cindy L., Thomas E. Morrell, and James C. DeVos, Jr. Diurnal bed-site selection of urban-dwelling javelina in Prescott, Arizona, 136–140
Tiletamine: 25
Tilia americana, see Basswood, American
Tilia spp., *see* Lime
Tillage:
effects of tillage on lead shot distribution in wetland sediments, 40–46
Timothy, swamp: 40–46
Tin: 685–695
Titmouse, juniper: 621
Toad, arroyo southwestern:
terrestrial habitat preferences of adult arroyo southwestern toads, 633–644
Tooth aging: 36, 49, 553, 973–987
Torpor: 621
Tori, Gildo M., *see* Robb, Joseph R.
Tortoise, Bolson: 653
Tortoise, desert: 653
field trials of line transect methods applied to estimation of desert tortoise abundance, 583–597
Tortoise, gopher: 653, 659
Tortoise, Texas:
habitat selection by the Texas tortoise in a managed thornscrub ecosystem, 653–660
Towhee, eastern: 348, 450–460
Toxostoma rufum, see Thrasher, brown
Translocation: 871–879
translocation of red-cockaded woodpeckers by reciprocal fostering of nestlings, 327–333
Transponder, passive integrated: 1004–1013
Trap, basket: 321
Trap, body-gripping: 399–405
Trap, bow: 249
Trap, box: 101, 158, 1005
Trap, corral: 25
Trap, culvert: 93
Trap, drive: 386–395
Trap, ecological:
edge effects and ecological traps: effects on shrubland birds in Missouri, 668–675
Trap, helicopter-drive: 798–807
Trap, Kniffin modified funnel: 809
Trap, leg-hold: 511–519, 887–898
Trap, panel: 217–225
Trap, pitfall: 633–652, 861–870
Trap, Sherman live: 1017
Trap, swim-in: 756
Trap, Tomahawk live: 149, 1005
Trapping:
effects of mammalian predator removal on production of upland-nesting ducks in North Dakota, 398–405
Trichosurus vulpecula, see Possum, brushtail
Trifolium repens, see Clover
Trifolium spp., *see* Clover
Troglodytes aedon, see Wren, house
Tropicbirds, red-tailed:
effects of a chemical weapons incineration plant on red-tailed tropicbirds, 685–695
Trout, lake: 585
Trout, steelhead: 291–299, 633
Tsuga canadensis, see Hemlock, eastern
Tsuga heterophylla, see Hemlock, western
Tubal ligation:

surgical sterilization as a method of reducing coyote predation on domestic sheep, 510–519
Tuberculosis, bovine: 184–190, 205, 476
Turdus migratorius, see Robin, American
Turkey, eastern wild:
an eastern wild turkey population dynamics model for Virginia and West Virginia, 415–424
reproduction of eastern wild turkeys in Virginia and West Virginia, 1–9
Turkey, Gould's:
verifying the origins of a reintroduced population of Gould's wild turkey, 871–879
Turkey, Merriam's:
verifying the origins of a reintroduced population of Gould's wild turkey, 871–879
Turner, John W., Jr., Irwin K. M. Liu, Douglas R. Flanagan, Allen T. Rutberg, and Jay F. Kirkpatrick. Immunocontraception in feral horses: one inoculation provides one year of infertility, 235–241
Twedt, Daniel J., R. Randy Wilson, Jackie L. Henne-Kerr, and Robert B. Hamilton. Nest survival of forest birds in the Mississippi Alluvial Valley, 450–460
Typha angustifolia, see Cattail, narrowleaf
Typha latifolia, see Cattail
Tyrannus tyrannus, see Kingbird, eastern
Tyrannus verticalis, see Kingbird, western

U

Ulmus amicana, see Elm, American
Ultrasound:
development of predictive models of nutritional condition for Rocky Mountain elk, 973–987
Ungulates: 46–58, 65–91, 129–135, 173–190, 205–225, 531–559, 573–582, 899–1003
Urban: 642–644
diurnal bed-site selection of urban-dwelling javelina in Prescott, Arizona, 136–140
home range, habitat use, and nocturnal activity of coyotes in an urban environment, 887–898
Urine: 107, 553–559, 941–945
development of predictive models of nutritional condition for Rocky Mountain elk, 973–987
overwinter changes in the urine chemistry of muskoxen from Banks Island, 226–234
Urocyon cinereoargenteus, see Fox, gray
Ursus americanus, see Bear, black
Ursus arctos, see Bear, grizzly
Ursus maritimus, see Bear, polar
Utah: 185–190, 312–317, 510–519, 573–582, 594

V

Vaccinium membranaceum, see Huckleberry, black
Vaccinium myrtillus, see Bilberry
Vaccinium parvifolium, see Whortleberry
Vaccinium spp., *see* Blueberry
Vaccinium vitis-idaea, see Berry, lingon
Van Manen, Frank T., *see* Dees, Cathrine S.
Vanadium: 685–695
Vasectomy:
surgical sterilization as a method of reducing coyote predation on domestic sheep, 510–519
Veery: 334–350
Veltman, Clare J., and D. Neil Pinder. Brushtail possum mortality and ambient temperatures following aerial poisoning using 1080, 476–481
Verbesina encelioides, see Daisy, cowpen
Vermivora pinus, see Warbler, blue-winged
Vermont: 244–247, 745–754
Vetch, milk: 20
Viburnum edule, see Cranberry
Vickery, Peter D., *see* Shriver, W. Gregory
Vine, Lawrence E., *see* Rasmussen, Paul W.
***Viola glabella*:** 196–199
Vireo belli pusillus, see Vireo, least Bell's
Vireo flavifrons, see Vireo, yellow-throated
Vireo gilvus, see Vireo, warbling
Vireo griseus, see Vireo, white-eyed
Vireo olivaceous, see Vireo, red-eyed
Vireo plumbeus, see Vireo, plumbeus
Vireo, least Bell's: 633
Vireo, plumbeus: 334–344
Vireo, red-eyed: 345–350, 450–460
Vireo, warbling: 334–344, 450–460
Vireo, white-eyed: 450–460
Vireo, yellow-throated: 450–460
Virginia: 1–9, 244–247, 415–424, 745–754
Vistnes, Ingunn, and Christian Nellemann. Avoidance of cabins, roads, and power lines by reindeer during calving, 915–925
Vitis spp., *see* Grape
***Vivia* spp.:** 196–199
Vole: 775
Vole, creeping: 1014–1027
Vole, long-tailed: 335, 1014–1027
Vole, montane: 335
Vole, red-backed: 153–156, 335, 1014–1027
Vulpes vulpes, see Fox, red
Vulture, turkey: 334–344

W

Wakeling, Brian F., *see* Mock, Karen E.
Wallace, Monica T., and Richard Bucholz. Translocation of red-cockaded woodpeckers by reciprocal fostering of nestlings, 327–333
Walnut, black: 482–488
Wapiti, *see* Elk
Warbler, black-throated blue: 345–350
Warbler, blue-winged: 348
Warbler, chestnut-sided:
productivity of early successional shrubland birds in clearcuts and groupcuts in an eastern deciduous forest, 345–350
Warbler, hooded: 450–460
Warbler, Kentucky: 450–460
Warbler, magnolia: 345–350

Warbler, prairie: 348, 668–675
Warbler, yellow: 334–344
Warbler, yellow-rumped: 334–344
Wasel, Shawn M., *see* Dyer, Simon J.
Washington: 125–128, 173–199, 216–225, 290–299, 745–754, 783–796, 894, 899–914, 1014–1027
Waterfowl: 40–46, 385–414, 676–684, 696–780, 797–807
Watermilfoil: 738–744
Watershed: 442–449, 630–632, 634, 641–644, 696–715
Waxwing, cedar: 334–350
Weasel, long-tailed: 335, 398–405
Weather: 1–18, 48–58, 111–117, 173–190, 242–247, 300–311, 324, 662–667, 676–684, 696–715, 816–827, 885
brushtail possum mortality and ambient temperatures following aerial poisoning using 1080, 476–481
differential influence of weather on regional quail abundance in Texas, 10–18
effects of gull predation and weather on survival of emperor goose goslings, 248–257
Webb, Kenneth E., Jr., *see* Sherfy, Mark H.
Weed, pickerel: 755–764
Weinmannia racemosa, see Kamahi
Welch, Edgar R., Jr., *see* Ditchkoff, Stephen S.
Weller, Theodore J., and Cynthia J. Zabel. Characteristics of fringed myotis day roosts in northern California, 489–497
West Virginia: 1–9, 148–156, 415–424, 745–754
Wetland: 768
capacity of wetland habitats used by breeding greater snow geese, 271–281
comparison of avian communities on restored and natural wetlands in North and South Dakota, 676–684
effects of tillage on lead shot distribution in wetland sediments, 40–46
Wetland Reserve Program: 676–684, 768
Whale, killer: 498
Wheat: 973–987
Wheat, winter: 662–667
Wheeler, William E., *see* Rasmussen, Paul W.
White Mountain National Forest: 345–350
White River National Wildlife Refuge: 35–40
White, Gary C., David J. Freddy, R. Bruce Gill, and John H. Ellenberger. Effect of adult sex ratio on mule deer and elk productivity in Colorado, 543–551
———, *see* Conner, Mary M.
———, *see* Savarie, Peter J.
White, Thomas H., Jr., Jacob L. Bowman, Harry A. Jacobson, Bruce D. Leopold, and Winston P. Smith. Forest management and female black bear denning, 34–40
Whittaker, Donald G., and Frederick G. Lindzey. Population characteristics of sympatric mule and white-tailed deer on Rocky Mountain Arsenal, Colorado, 946–952
Whortleberry: 193–199
Wigeon, American: 676–684, 771–780
Wildebeest: 19
Willow: 79, 180, 301–309, 411, 617, 636–644, 738–744, 918–925
Willow, arctic: 227, 232, 964–972
Willow, black: 36
Willow, diamond leaf: 964–972
Willow, feltleaf: 964–972
Willow, hoary: 953–963
Willow, Pacific: 303–309
Wilson, Heather M., *see* Guthery, Fred S.
Wilson, R. Randy, *see* Twedt, Daniel J.
Wilson, Suzanne M., *see* Carey, Andrew B.
Wilsonia citrina, see Warbler, hooded
Wing: 716–725, 758–764
Winter: 1–9, 65–92, 216–225, 476–481, 516, 531–542, 816–827, 915–925, 953–972
condition indices of live-trapped American black ducks and mallards, 755–764
effects of winter road grooming on bison in Yellowstone National Park, 560–572
emergency feeding of white-tailed deer: test of three feeds, 129–136
impacts of supplemental feeding on the nutritional ecology of black bears, 191–199
long-term trends of bald eagles in winter on the Skagit River, Washington, 290–299
overwinter changes in the urine chemistry of muskoxen from Banks Island, 226–234
winter feeding of elk in western North America, 173–190 — Invited Paper
winter hunting patterns of wolves in and near Glacier National Park, Montana, 520–530
winter severity and wolf predation on a formerly wolf-free elk herd, 998–1003
Winterstein, Scott R., *see* Larson, Micael A.
Wisconsin: 6, 716–725, 745–754, 783–796, 838
Wolf, arctic: 228
Wolf, gray: 79, 86, 398–405, 516, 539, 557, 953–963
winter hunting patterns of wolves in and near Glacier National Park, Montana, 520–530
winter severity and wolf predation on a formerly wolf-free elk herd, 998–1003
Wolverine: 79, 158
Wood Buffalo National Park: 383
Wood, Petra Bohall, *see* Castleberry, Steven B.
Woodpecker, downy: 334–344
Woodpecker, great spotted: 438
Woodpecker, hairy: 334–344
Woodpecker, middle spotted:
spacing behavior of the middle spotted woodpecker in central Europe, 432–441
Woodpecker, pileated: 61
Woodpecker, red-cockaded:
translocation of red-cockaded woodpeckers by reciprocal fostering of nestlings, 327–333
Woodpecker, red-headed: 442–449
Woodrat, bushy-tailed: 152–156
Woodrat, desert: 152–156
Woodrat, dusky-footed: 152–156
Woodrat, plains: 152–156
Woodward, April A., Alix D. Fink, and Frank R. Thompson, III. Edge effects and ecological traps: effects

on shrubland birds in Missouri, 668–675
Woolf, Alan, *see* Roy, Charlotte
Wrangell St. Elias National Park: 77–92
Wren, house: 334–344, 442–449
Wren, sedge: 676–684
WRP, *see* Wetland Reserve Program
Wu, X. Ben, *see* Bridges, Andrew S.
Wyoming: 25–28, 173–190, 205–215, 783–796, 998–1003
Wyoming index: 973–997

X

Xanthocephalus xanthocephalus, see Blackbird, yellow-headed
Xylazine: 157
anesthesia of pronghorns using thiafentanil or thiafentanil plus xylazine, 25–28
Xyris spp., *see* Grass, yellow-eyed

Y

Yellowstone National Park:
effects of winter road grooming on bison in Yellowstone National Park, 560–572
negative binomial models for abundance estimation of multiple closed populations, 498–509
winter feeding of elk in western North America, 173–190 — Invited Paper
winter severity and wolf predation on a formerly wolf-free elk herd, 998–1003
Yellowthroat, common: 334–350, 450–460, 676–684
Yew, western: 67
Yohimbine: 26

Z

Zabel, Cynthia J., *see* Weller, Theodore J.
Zager, Peter, *see* Cook, Rachel C.
Zapus princeps, see Mouse, western jumping
Zapus trinotatus, see Mouse, jumping
Zea mays, see Corn
Zenaida asiatica, see Dove, white-winged
Zenaida macroura, see Dove, mourning
Ziegltrum, Georg J., *see* Partridge, Steven T.
Zinc: 685–695, 821–827
Zion National Park: 312–317
Zolazepam: 25
Zonotrichia albicollis, see Sparrow, white-throated
Zonotrichia leucophrys, see Sparrow, white-crowned